



803 - 851 OLD
COUNTY ROAD
SAN CARLOS, CA
94070

**PLANNING
RESUBMISSION
MAY 26, 2023**

COPYRIGHT © 2020 by STUDIOS architecture
STUDIOS
architecture
350 CALIFORNIA STREET, FLOOR 21
SAN FRANCISCO, CA 94104 - 415.398.7575

APPLICABLE CODES & REGULATIONS

ALL WORK SHALL COMPLY WITH THE APPLICABLE CODES, AMENDMENTS, RULES, REGULATIONS, ORDINANCES, LAWS, ORDERS, APPROVALS, ETC., THAT ARE REQUIRED BY PUBLIC AUTHORITIES. IN THE EVENT OF CONFLICT, THE MOST STRINGENT REQUIREMENTS SHALL COMPLY. REQUIREMENTS INCLUDE, BUT ARE NOT LIMITED TO THE CURRENT APPLICABLE EDITIONS OR PUBLICATIONS OF THE FOLLOWING (OR OTHERWISE NOTED):

- CALIFORNIA CODE OF REGULATIONS (CCR) TITLE 24 (2022)
- PART 1 - CALIFORNIA BUILDING STANDARDS ADMINISTRATIVE CODE
- PART 2 - CALIFORNIA BUILDING CODE (CBC), VOL. I & II
- PART 3 - CALIFORNIA ELECTRICAL CODE (CEC)
- PART 4 - CALIFORNIA MECHANICAL CODE (CMC)
- PART 5 - CALIFORNIA PLUMBING CODE (CPC)
- PART 6 - CALIFORNIA ENERGY CODE (CEC)
- PART 7 - CALIFORNIA FIRE CODE (CFC)
- PART 8 - CALIFORNIA EXISTING BUILDING CODE (CAL GREEN)
- PART 9 - CALIFORNIA GREEN BUILDING STANDARDS CODE (CAL GREEN)
- PART 12 - CALIFORNIA REFERENCED STANDARDS CODE

CALIFORNIA CODE OF REGULATIONS (CCR) TITLE 8, CALIFORNIA

CALIFORNIA ELEVATOR CODE, PART 7, TITLE 24

AMERICANS WITH DISABILITIES ACT (2010)

LOCAL BUILDING CODE:

- 2022 CALIFORNIA BUILDING CODE (CBC), CALIFORNIA CODE OF REGULATIONS, TITLE 24, PART 1 AND 2 WITH CITY OF SAN CARLOS AMENDMENTS
- 2022 CALIFORNIA FIRE CODE (CFC) WITH CITY OF SAN CARLOS AND REDWOOD CITY AMENDMENTS

NATIONAL FIRE PROTECTION AGENCY

- NFPA 13 STANDARD FOR THE INSTALLATION OF SPRINKLER SYSTEMS (2016)
- NFPA 14 STANDARD FOR THE INSTALLATION OF STANDPIPE AND HOSE SYSTEMS (2016)
- NFPA 24 INSTALLATION OF PRIVATE FIRE SERVICE MAINS AND THEIR APPURTENANCES (2016)
- NFPA 70 NATIONAL ELECTRICAL CODE (2020)
- NFPA 72 NATIONAL FIRE ALARM AND SIGNALING CODE (2019)
- NFPA 101 LIFE SAFETY CODE (2018)
- NFPA 101 STANDARD FOR EMERGENCY AND STAND-BY POWER SYSTEM (2016)

IT IS NOTED THAT IF HAZARDOUS MATERIAL QUANTITIES EXCEED THE MAXIMUM ALLOWABLE QUANTITIES (MAQ) OF HAZARDOUS MATERIALS PER CALIFORNIA FIRE CODE AND CALIFORNIA BUILDING CODE, ADDITIONAL FIRE AND LIFE SAFETY PROTECTION FEATURES MAY BE REQUIRED

PROPOSED BUILDING PARKING ANALYSIS

PER TABLE 18.20.040-3: SPACES REQUIRED:

CALCULATION 1:

Offices: Business and Professional: 1 per 350 sq. ft. over 100,000 sq. ft.

CALCULATION: 325,473 SF / 350 = 930 SPACES REQUIRED

PARKING REDUCTION: 18,200.00 Parking reduction/ B. Transit Accessibility: 20% Reduction

REDUCTION CALCULATION: 930 SPACES - 20% = 744 SPACES REQUIRED FOR PHASES 1&2

PHASE 1 CALCULATION: 183,863 SF / 350 = 554 SPACES REQUIRED

PARKING REDUCTION: 20% Reduction

CALCULATION: 554 SPACES - 20% = 443 SPACES REQUIRED (474 SPACES PROVIDED)

PHASE 2 CALCULATION (FROM ABOVE): 744 SPACES REQUIRED (745 SPACES PROVIDED)

CALCULATION 2:

Research and Development: 1 per 300 sq. ft. of office, and 1 per 800 sq. ft. of laboratory.

ASSUMED 6000 SQ FT FOR R&D

LAB AREA: 325,473 SF (80%) = 195,284 SF

LAB CALCULATION: 195,284 SF / 800 = 245 SPACES REQUIRED

REDUCTION CALCULATION (per 18.20.050 Parking reduction):

245 SPACES - 20% = 196 SPACES REQUIRED FOR PHASES 1&2

OFFICE AREA: 325,473 SF (40%) = 130,189 SF

OFFICE CALCULATION: 130,189 SF / 300 = 434 SPACES REQUIRED

REDUCTION CALCULATION (per 18.20.050 Parking reduction):

434 SPACES - 20% = 348 SPACES REQUIRED FOR PHASES 1&2

TOTAL PARKING SPACES REQUIRED: 196 + 348 = 544 SPACES REQUIRED FOR PHASES 1&2

THE MORE RESTRICTIVE CALCULATION IS USED FOR PLANNING COMPLIANCE

AUTOMOBILE PARKING STALL DIMENSIONS

(TABLE 20-220)

STALL TYPE	WIDTH	DEPTH	ABLE	COMPLIANT
UNINSTALL	8'-0"	18'-0"	26'-0"	YES

REQUIRED NUMBER OF ACCESSIBLE PARKING STALLS

(CBC TABLE 119-206.2)

TOTAL PARKING SPACES	MINIMUM REQUIRED	COMPLIANT
501 to 1,000	2%	YES

OVERALL SITE PARKING CALCULATION

MONTHLY GFT	UNINSTALL	SMALLER UNINSTALL	ACCESSIBLE	MAK ACCESSIBLE	CV	CV ACCESSIBLE	BY MAK ACCESSIBLE	CV AVAILABLE	CV AVAILABLE	UNINSTALL	TOTAL
LEVELS BL	125	0	2	0	0	0	0	0	0	0	127
LEVELS BL	125	0	2	0	0	0	0	0	0	0	127
LEVELS BL	225	0	0	0	0	0	0	0	0	0	225
LEVELS BL	225	0	0	0	0	0	0	0	0	0	225
LEVELS BL TOTAL	500	0	4	0	0	0	0	0	0	0	504
MONTHLY GFT											
LEVELS BL	0	0	0	0	0	0	0	0	0	0	0
LEVELS BL	0	0	0	0	0	0	0	0	0	0	0
LEVELS BL	0	0	0	0	0	0	0	0	0	0	0
LEVELS BL	0	0	0	0	0	0	0	0	0	0	0
LEVELS BL TOTAL	0	0	0	0	0	0	0	0	0	0	0
LEVELS BL TOTAL	500	0	4	0	0	0	0	0	0	0	504

MOTORCYCLE PARKING MAY SUBSTITUTE FOR UP TO FIVE PERCENT OF REQUIRED AUTOMOBILE PARKING. EACH MOTORCYCLE SPACE MUST BE AT LEAST FOUR FEET WIDE AND SEVEN FEET DEEP.

5% OF 745 = 37 MOTORCYCLE SPACES (ALLOWED)

MOTOR CYCLE PARKING:

B2: 20 (SOUTH PHASE: 6 NORTH PHASE: 14)
B1: 20 (SOUTH PHASE: 6 NORTH PHASE: 14)
TOTAL: 40 + 37 (5% X 745 = 37)

BICYCLE PARKING CALCULATION

PER SECTION 18.20.080:

SHORT-TERM SPACES


10% OF 745 VEHICLE SPACES: 75 REQUIRED 80 PROVIDED

LONG-TERM SPACES

10% OF 745 VEHICLE SPACES: 38 REQUIRED 55 PROVIDED

B2: 23 (SOUTH PHASE: 12 NORTH PHASE: 11)
B1: 32 (SOUTH PHASE: 0 NORTH PHASE: 32)

SITE MAP



PROJECT DESCRIPTION

THE PROPOSED PROJECT IS A 325,473 SF PLANNED DEVELOPMENT FOR COMMERCIAL OFFICE, AND RESEARCH & DEVELOPMENT (R&D) LIFE SCIENCES AND USES. THE PROJECT IS SHOWN AS A PHASED DEVELOPMENT. THE FIRST PHASE WOULD BE THE SOUTH LOT AND THE SECOND PHASE WOULD BE THE NORTH LOT.


THE 3.4 ACRE PROJECT SITE IS BOUNDED BY BRANSTEN STREET TO THE NORTH, COMMERCIAL STREET TO THE SOUTH, AND OLD COUNTY ROAD TO THE WEST. THE SITE DESIGN PROPOSES A FIVE STORY STRUCTURE ALONG COMMERCIAL STREET (SOUTH), AND ANOTHER 4 STORY STRUCTURE ALONG BRANSTEN STREET OVER TWO LEVELS OF BELOW-GRADE PARKING, AND WITH A CENTRAL COURTYARD BETWEEN THEM. THE INTENT OF THE COURTYARD IS TO SERVE AS OUTDOOR COLLABORATION SPACES FOR THE TENANTS IN ORDER TO ACTIVATE THE SITE AND GROUND PLANE. THE PRIMARY ACCESS TO THE SITE IS FROM COMMERCIAL AND BRANSTEN STREETS, WITH SECONDARY ENTRANCES AT THE CORNERS OF OLD COUNTY ROAD TO ACTIVATE THE STREET.

THE SITE IS CURRENTLY ZONED AS R4: HEAVY INDUSTRIAL, AND PROPOSES A CHANGE IN ZONING TO PD PLANNED DEVELOPMENT. THE PROPOSED AMENDMENT IS TO THE CURRENT ZONING AS INDICATED IN THE SUBMITTAL. THIS INCLUDES BUT IS NOT LIMITED TO:
1. INCREASE IN BUILDING HEIGHT,
2. INCREASED FAR,
3. REDUCED ABOVE GRADE SETBACK ALONG COMMERCIAL STREET,
4. REDUCED BELOW GRADE SETBACK FROM PROPERTY LINE FOR PARKING STRUCTURE,
5. NO PARKING LOT TREE PLANTING REQUIREMENT.

THE PROJECT IS LOCATED IN THE EAST SIDE INNOVATION DISTRICT VISION PLAN AREA. THE PROJECT HAS BEEN DESIGNED TO FURTHER THE GOALS OF THE EAST SIDE DISTRICT VISION PLAN BY ACTIVATING OLD COUNTY ROAD, TRANSFORMING IT IN SUPPORT OF THE PLANS OBJECTIVES FOR SAFE, PEOPLE FRIENDLY STREETS AND VIBRANT NEIGHBORHOODS. FURTHER, THE PROJECT SPECIFICALLY RESPONDS TO 6 OF THE PLANS "10 BIG MOVES" AS FOLLOWS:

- BIG MOVE #1: ESTABLISH AN OPEN NETWORK. THE PROJECT IS PROPOSING TO PROVIDE A CONNECTION TO THE LINEAR PARK SYSTEM ALONG BRANSTEN.
 - BIG MOVE #3: PROMOTE ENVIRONMENTAL STEWARDSHIP. THE PROJECT WILL SUPPORT THIS GOAL THROUGH NUMEROUS ENVIRONMENTAL AND SUSTAINABILITY ASPECTS, AS FOLLOWS:
 - TO REDUCE TRANSPORTATION-RELATED EMISSIONS, THE PROJECT WILL BE ENCOURAGING ALTERNATIVE TRANSPORTATION LIKE WALKING, BICYCLES, AND ELECTRIC CARS IN LIEU OF GAS-POWERED AUTOMOBILES. THE PROJECT WILL PROVIDE SHORT TERM AND LONG-TERM BIKE RACKS, OUTDOOR ACTIVITY SPACES AND WALKING PATHS. IN ADDITION TO SHOWERS FOR BUILDING OCCUPANTS AND VISITORS, TO SUPPORT THE CITY'S GOAL OF TRANSITIONING TO ELECTRIC AND PLUG-IN HYBRID VEHICLES, THE PROJECT WILL BE PROVIDING 10% ELECTRIC VEHICLE CHARGING STATIONS.
 - A PRIMARY GHG REDUCTION STRATEGY IS ENERGY USE REDUCTION. THE PROJECT IS STRIVING FOR 3.4-7.2% SAVINGS OVER 2024 BASELINE, WHICH WILL REDUCE CO2 EMISSIONS ASSOCIATED WITH ENERGY CONSUMPTION.
 - THE PROJECT WILL BE AN ALL-ELECTRIC BUILDING WITH THE INTENT OF BEING POWERED BY ZERO-CARBON ELECTRICITY LIKE SOLAR AND WIND POWER THROUGH UTILITY PROGRAMS OR PURCHASING RENEWABLE ENERGY CERTIFICATES.
 - IN LINE WITH THE CITY'S GHG REDUCTION STRATEGY RELATED TO CONSTRUCTION WASTE, THE PROJECT HAS A 75% CONSTRUCTION WASTE DIVERSION TARGET TO DECREASE THE BURDEN ON LANDFILL. THE GENERAL CONTRACTOR WILL BE ENCOURAGED TO SITE SEPARATE WASTE STREAMS TO THE EXTENT POSSIBLE TO REDUCE CONTAMINATION OF RECYCLABLES.
 - TO MINIMIZE WATER DEMAND AND INCREASE WASTEWATER REDUCTION, THE PROJECT WILL UTILIZE HIGH EFFICIENCY PLUMBING FIXTURES AND HAVE A WATER-EFFICIENT LANDSCAPING FAVORING NATIVE AND ADAPTED PLANTING.
 - ADDITIONALLY, ON-SITE RENEWABLE ENERGY PRODUCTION IS CURRENTLY BEING STUDIED AND UNDER CONSIDERATION.
 - BIG MOVE #4: INTEGRATE RECYCLED WATER INFRASTRUCTURE. THE PROJECT WILL COMPLY WITH REQUIREMENTS TO BE PURPLE PIPE READY.
 - BIG MOVE #5: SUPPORT DISTRICT SUB-AREA. THE PROJECT'S DESIGN WILL ENHANCE THIS DISTRICT SUB-AREA AS BEING PART OF THE DISTRICT CATALYST AREA BY BEING A BUILDING THAT SUPPORTS INNOVATION. FURTHER, THE GROUND LEVELS HAVE BEEN DESIGNED TO ENHANCE THE PUBLIC EXPERIENCE AT THE CORNERS. THE CHARACTER OF OLD COUNTY ROAD HAS BEEN SIGNIFICANTLY ENHANCED FOR THE PEDESTRIAN EXPERIENCE BY PROVIDING MORE OPPORTUNITY FOR SEATING, AND BIKE PARKING.
 - BIG MOVE #6: PRIORITIZE ACTIVITY HUB. THE PROJECT IS DESIGNED TO ENHANCE THE ACTIVITY HUB AT THE CORNER OF COMMERCIAL AND OLD COUNTY ROAD BY STRENGTHENING THE CONNECTION TO THE EXISTING TUNNEL, ACROSS THE STREET LINKING TO DOWNTOWN SAN CARLOS. THIS IS ACHIEVED BY ESTABLISHING A MINI PLAZA AND BUILDING ENTRANCE TO ACTIVATE THIS CORNER, ALLOWING ACTIVITY TO SPILL OUT AND ENERGIZE THE SPACE.
 - BIG MOVE #8: INVEST IN MULTIMODAL STREETS. THE PROJECT IS DESIGNED TO SUPPORT THE GOAL OF RE-ORGANIZING THE SURROUNDING STREETS TO INCORPORATE NEW OR IMPROVED BICYCLE LANES.
- THE ULTIMATE TWO-PHASED PERMIT IS DESIGNED AS A SINGLE BUILDING UNDER THE BUILDING AND FIRE LIFE SAFETY CODES. THE NATURAL DESIGN IS INTENDED TO RESPECT THE SAN CARLOS INNOVATION AND INDUSTRIAL CHARACTER THROUGH USE OF NATURAL MATERIALS INCLUDING RED BRICK MASONRY AND TERRACOTTA. UPPER LEVEL TERRACES ARE INCORPORATED TO INCREASE ACTIVE OUTDOOR SPACES THAT CAN BE USED BY THE TENANTS.

VICINITY MAP



PROJECT INFORMATION

OWNER NAME	THE SOBRATO ORGANIZATION 589 CASTRO ST., SUITE 400 MOUNTAIN VIEW, CA 94041
PROJECT ADDRESS	803&851 OLD COUNTY ROAD SAN CARLOS, CA 94070
PLANNING INFORMATION	APN: 046133490, 046134450, 046134460, 046135470, 046135420, 046135430, 046135440, 046135450, 046135460, 046135470, 046135480, 046135490
SITE AREA	148,633 SF
ZONING PROPOSED USES ALLOWED	PLANNED DEVELOPMENT COMMERCIAL OFFICE INDUSTRIAL RESEARCH & DEVELOPMENT
SETBACKS:	PROPOSED: 11' PRIMARY STREET (OLD COUNTY): 10' SIDE STREET (BRANSTEN): 5' SIDE STREET (COMMERCIAL): 7'-9 1/2" PROPOSED: 5' PROPOSED: 2'-0"
OPEN SPACE AREA	21,028 SF NORTH PHASE: 11,917 SF SOUTH PHASE: 9,111 SF TOTAL OPEN AREA: 33,128 SF (148,633 SF = 22% - 10%)
F.A.R.	326,460/148,633 = 2.20
BUILDING HEIGHT:	T.O. 3 ROOF EQUIPMENT: 113'-0" T.O. 3 ROOF SCREEN: 98'-0" T.O. 3 ROOF STAIR: 94'-0" T.O. 3 ROOF EQUIPMENT: 90'-0" T.O. 3 ROOF SCREEN: 85'-0" T.O. 3 ROOF PENTHOUSE: 82'-0" T.O. 3 PARAPET: 74'-0"
BUILDING INFO	NORTH PHASE: BUILDING AREA: 133,923 SF NUMBER OF STORIES: 5 STORIES HEIGHT TO HIGHEST OCCUPABLE FLR: 124'-0" (7' ABOVE GARAGE THEREFORE NOT A HIGHRISE PER CBC 403) CONSTRUCTION TYPE: TYPE I-B FIRE SPRINKLER: FULLY SPRINKLERED OCCUPANCY TYPE: GROUP A, B, L SOUTH PHASE: BUILDING AREA: 205,747 SF NUMBER OF STORIES: 5 STORIES HEIGHT TO HIGHEST OCCUPABLE FLR: 124'-0" (7' ABOVE GARAGE THEREFORE NOT A HIGHRISE PER CBC 403) CONSTRUCTION TYPE: TYPE I-B FIRE SPRINKLER: FULLY SPRINKLERED OCCUPANCY TYPE: MIXED OCCUPANCY WITH GROUPS A, B, L
GARAGE:	GARAGE AREA: 270,598 SF NUMBER OF LEVELS: 2 LEVELS CONSTRUCTION TYPE: TYPE I-B FIRE SPRINKLER: FULLY SPRINKLERED OCCUPANCY TYPE: MIXED OCCUPANCY WITH GROUPS A, B, L

* BUILDING AREA SQUARE FOOTAGE IN PROJECT DATA ABOVE IS GROSS AND IS CALCULATED BASED ON THE DEFINITION IN THE UNIFORM BUILDING CODE.	Civil:	EXISTING CONDITIONS PLAN	+	+	+
REFER TO SHEET A1.02 FOR GROSS, AND PLANNING AREA SQUARE FOOTAGE CALCULATION BASED ON SAN CARLOS MUNICIPAL CODE ORIGINANCE 15.03.080, WITH EXCLUSIONS PER 15.03.090	C2.1	PRELIMINARY CIVIL SITE PLAN	+	+	+
HAZARDOUS MATERIALS: IT IS EXPECTED THAT A FUTURE TENANT WILL STORE AND USE SMALL QUANTITIES OF HAZARDOUS MATERIALS. IF THE QUANTITIES EXCEED THE PERMITTED AMOUNT OF MAXIMUM ALLOWABLE QUANTITIES (MAQ) OF HAZARDOUS MATERIALS AS DESCRIBED IN THE CFC 5003.1.3, THEN ADDITIONAL LIFE SAFETY AND FIRE PROTECTION FEATURES MAY BE REQUIRED BY THE FUTURE TENANT AS PART OF THE BUILDING PERMIT FOR THAT FUTURE OCCUPANCY.	C2.2	SECTIONS	+	+	+
	C2.3	PRELIMINARY GRADING AND DRAINAGE PLAN	+	+	+
	C3.0	PRELIMINARY UTILITY PLAN	+	+	+
	C3.1	PRELIMINARY FIRE ACCESS PLAN PHASE 1	+	+	+
	C3.2	PRELIMINARY FIRE ACCESS PLAN PHASE 2	+	+	+
	C3.3	PRELIMINARY STORM WATER QUALITY CONTROL PLAN	+	+	+
	C3.4	PRELIMINARY STORM WATER QUALITY CONTROL NOTES AND DETAILS	+	+	+
	C3.5	PRELIMINARY STORM WATER QUALITY CONTROL CALCULATION	+	+	+
	C3.6	NOT USED	+	+	+
	C3.7	PRELIMINARY EXCAVATION HALL ROUTE	+	+	+
	C3.8	DETAILS	+	+	+

LANDSCAPE:	L1.01	SCHEMATIC LANDSCAPE PLAN	+	+	+
	L1.02	LANDSCAPE PHASE 1 PLAN	+	+	+
	L1.11	SCHEMATIC LANDSCAPE PLAN ENLARGEMENTS	+	+	+
	L1.01	SCHEMATIC LANDSCAPE PLAN ENLARGEMENTS	+	+	+
	L1.02	LANDSCAPE MATERIALS PAVING	+	+	+
	L1.03	LANDSCAPE MATERIALS FURNISHINGS	+	+	+
	L1.04	TREE SCHEMATIC PLANTING PLAN	+	+	+
	L1.05	SCHEMATIC PLANTING PLAN UPPER LEVELS AND IMAGERY	+	+	+
	L1.06	HYDROZONE PLAN	+	+	+
	L1.07	TREE DISPOSITION PLAN	+	+	+
	L1.08	COURTYARD PERSPECTIVES	+	+	+
	L1.09	PHOTOMETRIC PLAN	+	+	+

PROJECT DIRECTORY

CLIENT:	THE SOBRATO ORGANIZATION 589 CASTRO ST., SUITE 400 MOUNTAIN VIEW, CA 94041 PHONE: (408) 691-1125 CONTACT: JEFFREY M. SOBRATO EMAIL: JEFF@SOBRATO.COM	Civil:	KIER+WRIGHT 3500 SCOTT BLVD, BLDG 22 SAN FRANCISCO, CA 94104 PHONE: (408) 727-4666 CONTACT: RYAN AMAYA EMAIL: RAMAYA@KIERWRIGHT.COM	LANDSCAPE:	THE GUZZARDO PARTNERSHIP, INC. 181 GREENWICH STREET SAN FRANCISCO, CA 94111 PHONE: (415) 433-4672 CONTACT: NICHOLAS SAMUELSON EMAIL: NSAMUELSON@GTP-INC.COM
ARCHITECT:	STUDIOS ARCHITECTURE 350 CALIFORNIA STREET, FLOOR 21 SAN FRANCISCO, CA 94104 PHONE: (415) 398-7575 CONTACT: MARC PFENNINGER EMAIL: MPFENNINGER@STUDIOS.COM	STRUCTURAL:	HOLMES STRUCTURES 235 MONTGOMERY STREET, SUITE 1250 SAN FRANCISCO, CA 94104 PHONE: (415) 383-1800 CONTACT: ZANDER SNYDER EMAIL: ZANDER.SNYDER@HOLMESSTRUCTURES.COM	MEP ENGINEER:	PAE 48 GOLDEN GATE AVENUE SAN FRANCISCO, CA 94102 PHONE: (415) 544-7900 CONTACT: GRANT CRAIG EMAIL: GRANT.CRAIG@PAE-ENGINEERS.COM

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2022-04-12				
PLANNING RESUBMISSION 1	2022-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				


SEAL / DISCLAIMER:

CLIENT


ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
350 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104
PHONE: (415) 398-7575



PROJECT
INFORMATION,
VICINITY MAP, SHEET
INDEX
G1.00



ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-03-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

SEAL / DISCLAIMER:


CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575

COPYRIGHT © 2021 BY STUDIOS architecture





SITE PLAN

A1.00

PROJECT NO.

20510.00



PHASING SITE PLAN LEGEND	
	PROPERTY LINE
	BASEMENT PHASING LINE
	EXISTING BUILDING
	PLANTING

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-03-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

SEAL / DISCLAIMER:


CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.382.7575

COPYRIGHT © 2021 by STUDIOS architecture




PHASING DIAGRAM

A1.01

PROJECT NO.

20510.00



1 BUILDING SECTION DIAGRAM
SCALE: 1/16" = 1'-0"

PROGRAM LEGEND

- OFFICE
- LOBBY
- CORE
- LANDSCAPE
- MECHANICAL EQUIPMENT

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-05-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				


SEAL / DISCLAIMER:

CLIENT

ARCHITECT


The **SOBRATO** Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS architecture
300 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.381.7575



HEIGHT LIMITS

A1.03



1 BASEMENT LEVEL 2

SCALE: 1/16" = 1'-0"

ISSUED FOR:	DATE:	SEAL / DISCLAIMER:	CLIENT:	ARCHITECT:
PLANNING SUBMISSION	2021-04-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			


The
SOBRATO
Organization

STUDIOS
architecture

302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.380.7575

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

COPYRIGHT © 2021 by STUDIOS architecture




GARAGE PLAN B2

A2.00.1

PROJECT NO. 20510.00

20510.00



1 FLOOR PLAN - FLOOR 1

SCALE: 1/8" = 1'-0"

ISSUED FOR: DATE:

PLANNING SUBMISSION

2021-03-12

PLANNING RESUBMISSION 1

2021-12-02

PLANNING RESUBMISSION 2

2022-04-29

PLANNING RESUBMISSION 3

2023-01-11

PLANNING RESUBMISSION 4

2023-05-26

SEAL / DISCLAIMER:

CLIENT

ARCHITECT


The
SOBRATO
Organization

STUDIOS
architecture

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

300 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575

COPYRIGHT © 2021 by STUDIOS architecture



GROUND LEVEL PLAN

A2.01

PROJECT NO.

20510.00



ISSUED FOR:	DATE:	SEAL / DISCLAIMER:	CLIENT:	ARCHITECT:
PLANNING SUBMISSION	2021-05-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			


The
SOBRATO
Organization

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture

300 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.381.7575

COPYRIGHT © 2021 by STUDIOS architecture



FLOOR 2 PLAN

A2.02

PROJECT NO. 20510.00

6/22/2023 2:28:29 PM

BM 367.025(10.0) - 803 Old County Road, San Carlos, CA 94070, 2021

20510.00

SOBRATO



1 FLOOR PLAN - FLOOR 3


SCALE: 1/16" = 1'-0"

ISSUED FOR:	DATE:	SEAL / DISCLAIMER:	CLIENT:	ARCHITECT:
PLANNING SUBMISSION	2021-03-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.386.7575

COPYRIGHT © 2021 by STUDIOS architecture



FLOOR 3 PLAN

A2.03

PROJECT NO. 20510.00



1 FLOOR PLAN - FLOOR 4


SCALE: 1/8" = 1'-0"

ISSUED FOR:	DATE:	SEAL / DISCLAIMER:	CLIENT:	ARCHITECT:
PLANNING SUBMISSION	2021-03-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
300 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575

COPYRIGHT © 2021 by STUDIOS architecture



FLOOR 4 PLAN

A2.04

PROJECT NO.

20510.00

6/22/2023 2:23:08 PM

BM 367.025(10.0) - 803 Old County Road, San Carlos, CA 94070

20510.00

SOBRATO



1 FLOOR PLAN - FLOOR 5

SCALE: 1/16" = 1'-0"

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-03-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				


SEAL / DISCLAIMER:

CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.381.7575




FLOOR 5 PLAN

A2.05

COPYRIGHT © 2021 by STUDIOS architecture

PROJECT NO.

20510.00



1 T.O. SOUTH ROOF STRUCTURE

SCALE: 1/8" = 1'-0"

ISSUED FOR:	DATE:	SEAL / DISCLAIMER:	CLIENT:	ARCHITECT:
PLANNING SUBMISSION	2021-03-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			


The
SOBRATO
Organization

STUDIOS
architecture

300 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

COPYRIGHT © 2021 by STUDIOS architecture



T.O. SOUTH ROOF
PLAN

A2.06

PROJECT NO.


20510.00

6/22/2023 2:23:18 PM

BM 367.025(10.0) - 803 OLD COUNTY ROAD, SAN CARLOS, CA 94070

20510.00

SOBRATO



1 T.O. SOUTH ROOF SCREEN

SCALE: 1/16" = 1'-0"

ISSUED FOR:	DATE:	SEAL / DISCLAIMER:	CLIENT:	ARCHITECT:
PLANNING SUBMISSION	2021-03-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			


The
SOBRATO
Organization

STUDIOS
architecture

300 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070


COPYRIGHT © 2021 by STUDIOS architecture



ROOF PLAN


A2.07

PROJECT NO. 20510.00



4 OVERALL NORTH EAST ELEVATION

SCALE: 1/16" = 1'-0"



3 OVERALL NORTH WEST ELEVATION

SCALE: 1/16" = 1'-0"


BRANSTEN



2 OVERALL SOUTH EAST ELEVATION

SCALE: 1/16" = 1'-0"

COMMERCIAL



1 OVERALL SOUTH WEST ELEVATION

SCALE: 1/16" = 1'-0"

OLD COUNTY RD

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-03-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				


SEAL / DISCLAIMER:

CLIENT

ARCHITECT

The
SOBRATO
 Organization
 803 - 851 OLD COUNTY ROAD
 SAN CARLOS, CA 94070

STUDIOS
 architecture
 310 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.381.8715



ELEVATIONS

A6.00

COPYRIGHT © 2021 by STUDIOS architecture


PROJECT NO. 20510.00

6/12/2023 2:36:59 PM


BM 367.02510.00 - 803 - Old County Road, San Carlos, CA 94070

20510.00

SOBRATO



PLAN NOTE LEGEND - FINISH	
NOTE NO.	COMMENT
1	SSG THERMALLY BROKEN CURTAINWALL
2	INSULATED VISION GLASS, SEE A6.22
3	INSULATED SPANDREL GLASS, SEE A6.22
4	TERRACOTTA & ALUMINUM SHADE SYSTEM, SEE A6.22
5	RED BRICK RAINSCREEN WALL SYSTEM, SEE A6.22
6	DURANAUTIC PAINTED METAL PANEL, SEE A6.22
7	INSULATED METAL SOFFIT SYSTEM
8	STEEL & ALUMINUM SUNSHADE TRELLIS
9	EXPOSED STRUCTURAL STEEL, SUNSHADE TRELLIS, PAINTED
10	MECHANICAL EQUIPMENT
11	TENANT SIGNAGE



ISSUED FOR:	DATE:	SEAL / DISCLAIMER:
PLANNING SUBMISSION	2021-03-12	
PLANNING RESUBMISSION 1	2021-12-02	
PLANNING RESUBMISSION 2	2022-04-29	
PLANNING RESUBMISSION 3	2023-01-11	
PLANNING RESUBMISSION 4	2023-05-26	

CLIENT ARCHITECT


The **SOBRATO** Organization

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS architecture

302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575

COPYRIGHT © 2021 by STUDIOS architecture



SOUTH PHASE
EXTERIOR BUILDING
ELEVATIONS

A6.01

PROJECT NO. 20510.00



PLAN NOTE LEGEND - FINISH	
NOTE NO.	COMMENT
1	SSG THERMALLY BROKEN CURTAINWALL
2	INSULATED VISION GLASS, SEE A6.22
3	INSULATED SPANDIX GLASS, SEE A6.22
4	TERRACOTTA & ALUMINUM SHADE SYSTEM, SEE A6.22
5	RED BRICK RAINSCREEN WALL SYSTEM, SEE A6.22
6	DURANAUTIC PAINTED METAL PANEL, SEE A6.22
7	INSULATED METAL SOFFIT SYSTEM
8	STEEL & ALUMINUM SUNSHADE TRELLIS
9	EXPOSED STRUCTURAL STEEL, SUNSHADE TRELLIS, PAINTED
10	MECHANICAL EQUIPMENT
11	TENANT SIGNAGE



ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-03-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

SEAL / DISCLAIMER:


CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575

COPYRIGHT © 2021 by STUDIOS architecture



SOUTH PHASE
EXTERIOR BUILDING
ELEVATIONS

A6.02


PROJECT NO. 20510.00

6/12/2023 2:27:11 PM


BM 967.025 (10.0) - 803 OLD COUNTY ROAD, SAN CARLOS, CA 94070

20510.00

SOBRATO



PLAN NOTE LEGEND - FINISH	
NOTE NO.	COMMENT
1	SSG THERMALLY BROKEN CURTAINWALL
2	INSULATED VISION GLASS, SEE A6.22
3	INSULATED SPANDREL GLASS, SEE A6.22
4	TERRACOTTA & ALUMINUM SHADE SYSTEM, SEE A6.22
5	RED BRICK RAINSCREEN WALL SYSTEM, SEE A6.22
6	DURANAUTIC PAINTED METAL PANEL, SEE A6.22
7	INSULATED METAL SOFFIT SYSTEM
8	STEEL & ALUMINUM SUNSHADE TRELLIS
9	EXPOSED STRUCTURAL STEEL, SUNSHADE TRELLIS, PAINTED
10	MECHANICAL EQUIPMENT
11	TENANT SIGNAGE



ISSUED FOR:	DATE:	SEAL / DISCLAIMER:
PLANNING SUBMISSION	2021-09-12	
PLANNING RESUBMISSION 1	2021-12-02	
PLANNING RESUBMISSION 2	2022-04-29	
PLANNING RESUBMISSION 3	2023-01-11	
PLANNING RESUBMISSION 4	2023-05-26	

CLIENT ARCHITECT


The **SOBRATO** Organization

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture

302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575


COPYRIGHT © 2021 by STUDIOS architecture




SOUTH PHASE
EXTERIOR BUILDING
ELEVATIONS



A6.03

PROJECT NO. 20510.00



PLAN NOTE LEGEND - FINISH	
NOTE NO.	COMMENT
1	SSG THERMALLY BROKEN CURTAINWALL
2	INSULATED VISION GLASS, SEE A6.22
3	INSULATED SPANDREL GLASS, SEE A6.22
4	TERRACOTTA & ALUMINUM SHADE SYSTEM, SEE A6.22
5	RED BRICK RAINSCREEN PANEL SYSTEM, SEE A6.22
6	DURANUMETAL PAINTED METAL PANEL, SEE A6.22
7	INSULATED METAL SOFFIT SYSTEM
8	STEEL, & ALUMINUM SUNSHADE TRELLIS
9	EXPOSED STRUCTURAL STEEL, SUNSHADE TRELLIS, PAINTED
10	MECHANICAL EQUIPMENT
11	TENANT SIGNAGE



ISSUED FOR:		DATE:	
	PLANNING SUBMISSION	2021-05-12	
	PLANNING RESUBMISSION 1	2021-12-02	
	PLANNING RESUBMISSION 2	2023-04-29	
	PLANNING RESUBMISSION 3	2023-01-11	
	PLANNING RESUBMISSION 4	2023-05-26	

SEAL / DISCLAIMER:

CLIENT


ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
335 CALIFORNIA STREET, FLOOR 21 • SAN FRANCISCO, CA 94104 • 415.398.7535

350 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.398.7575

COPYRIGHT © 2021 by STUDIO architecture



**SOUTH PHASE
EXTERIOR BUILDING
ELEVATIONS**


A6.04

PROJECT NO.

20510.00

6/12/2023 2:28:12 PM
B:\96710251\00-800-Old County Rd\SCB\A1.00 OLD COUNTY ROAD JANUARY 2024.dwg


20510.00
SCB\A1.00



2 NORTH PHASE - NORTH WEST ELEVATION
SCALE: 1/8" = 1'-0"

BRANSTEN

SIGNAGE




1 NORTH PHASE - SOUTH WEST ELEVATION
SCALE: 1/8" = 1'-0"

OLD COUNTY RD

SIGNAGE

15'-0"

NOTE NO.	COMMENT
1	SSG THERMALLY BROKEN CURTAINWALL
2	INSULATED VISION GLASS, SEE A6.22
3	INSULATED SPANDREL GLASS, SEE A6.22
4	TERRACOTTA & ALUMINUM SHADE SYSTEM, SEE A6.22
5	RED BRICK RAINSCREEN WALL SYSTEM, SEE A6.22
6	DURANAUTIC PAINTED METAL PANEL, SEE A6.22
7	INSULATED METAL SOFFIT SYSTEM
8	STEEL & ALUMINUM SUNSHADE TRELLIS
9	EXPOSED STRUCTURAL STEEL SUNSHADE TRELLIS, PAINTED
10	MECHANICAL EQUIPMENT
11	TENANT SIGNAGE



ISSUED FOR:	DATE:			
PLANNING SUBMISSION	2021-03-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			


SEAL / DISCLAIMER:

CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
310 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575



**NORTH PHASE
EXTERIOR BUILDING
ELEVATIONS**
A6.05
PROJECT NO. 20510.00


COPYRIGHT © 2021 by STUDIOS architecture

6/12/2023 2:46:21 PM

BM 967.025(10.0) - 803 OLD COUNTY ROAD (A6.06) TO 803 OLD COUNTY ROAD (A6.06) 2023.04


20510.00

SOBRATO



PLAN NOTE LEGEND - FINISH

NOTE NO.	COMMENT
1	SSG THERMALLY BROKEN CURTAINWALL
2	INSULATED VISION GLASS, SEE A6.22
3	INSULATED SPANDREL GLASS, SEE A6.22
4	TERRACOTTA & ALUMINUM SHADE SYSTEM, SEE A6.22
5	RED BRICK RAINSCREEN WALL SYSTEM, SEE A6.22
6	DURANAUTIC PAINTED METAL PANEL, SEE A6.22
7	INSULATED METAL SCFFIT SYSTEM
8	STEEL & ALUMINUM SUNSHADE TRELLIS
9	EXPOSED STRUCTURAL STEEL SUNSHADE TRELLIS, PAINTED
10	MECHANICAL EQUIPMENT
11	TENANT SIGNAGE



1 NORTH PHASE - SOUTH EAST ELEVATION
SCALE: 1/8" = 1'-0"

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-09-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

SEAL / DISCLAIMER:


CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.381.7375

COPYRIGHT © 2021 by STUDIOS architecture



NORTH PHASE
EXTERIOR BUILDING
ELEVATIONS

A6.06

PROJECT NO. 20510.00



4 RENDER - COURTYARD VIEW2
SCALE: 1/2" = 1'-0"




3 RENDER - COURTYARD VIEW1
SCALE: 1/2" = 1'-0"



2 RENDER - OLD COUNTY AND COMMERCIAL
SCALE: 1/2" = 1'-0"



1 RENDER - EL CAMINO AERIAL
SCALE: 1/2" = 1'-0"



ISSUED FOR:	DATE:			
PLANNING SUBMISSION	2021-05-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			

SEAL / DISCLAIMER:


CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.382.7575

COPYRIGHT © 2021 by STUDIOS architecture



MATERIAL &
RENDERINGS

A6.20

PROJECT NO. 20510.00

6/12/2023 2:46:28 PM
BM 361.025(11.0) - 803 - 851 Old County Road - 851 Old County Road - JANUARY 10, 2024

20510.00

SOBRATO



3 RENDER - EYE LEVEL - OLD COUNTY AND BRANSTEN

SCALE: 1/2" = 1'-0"




2 RENDER - EYE LEVEL - EL CAMINO AND OLIVE

SCALE: 1/2" = 1'-0"



1 RENDER - EYE LEVEL - OLD COUNTY AND COMMERCIAL

SCALE: 1/2" = 1'-0"



ISSUED FOR:	DATE:			
PLANNING SUBMISSION	2021-10-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			

SEAL / DISCLAIMER:


CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
350 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.386.7575

COPYRIGHT © 2021 by STUDIOS architecture



MATERIAL & EYE
LEVEL RENDERINGS

A6.21

PROJECT NO.

20510.00

6/12/2023 2:46:29 PM

BM 967120510.00 - 803 Old County Road (4450588410) 803 OLD COUNTY ROAD, JANCITEN, 2020A

20510.00


SOBRATO



6 EXTERIOR ALUMINUM - DK BRONZE
SCALE: N.T.S.




5A EXTERIOR BRICK EXAMPLE
SCALE: N.T.S.



5B EXTERIOR WALL - BRICK
SCALE: N.T.S.



4A EXTERIOR SCREEN - TERRACOTTA
SCALE: N.T.S.



4B EXTERIOR - TERRACOTTA FIN
SCALE: N.T.S.

PLAN NOTE LEGEND - FINISH	
NOTE NO.	COMMENT
1	SSG THERMALLY BROKEN CURTAINWALL
2	INSULATED VISION GLASS, SEE A6.22
3	INSULATED SPANDREL GLASS, SEE A6.22
4	TERRACOTTA & ALUMINUM SHADE SYSTEM, SEE A6.22
5	RED BRICK RAINSCREEN WALL SYSTEM, SEE A6.22
6	DURANAUTIC PAINTED METAL PANEL, SEE A6.22
7	INSULATED METAL SOFT SYSTEM
8	STEEL & ALUMINUM SUNSHADE TRELLIS
9	EXPOSED STRUCTURAL STEEL SUNSHADE TRELLIS, PAINTED
10	MECHANICAL EQUIPMENT
11	TENANT SIGNAGE



3 EXTERIOR GLAZING - SPANDREL
SCALE: N.T.S. 6MM SNX 6207 #5 ON CLEAR #4 YORKVILLE GRAY




2 EXTERIOR GLAZING - VISION
SCALE: N.T.S. 6MM SNX 6207 #2 ON CLEAR

ISSUED FOR:	DATE:				SEAL / DISCLAIMER:
PLANNING SUBMISSION	2021-03-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

CLIENT
The **SOBRATO** Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT
STUDIOS architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7575



COPYRIGHT © 2021 by STUDIOS architecture



EXTERIOR BUILDING MATERIALS

A6.22

PROJECT NO. 20510.00



- PROGRAM LEGEND**
- OFFICE
 - LOBBY
 - CORE
 - LANDSCAPE
 - MECHANICAL EQUIPMENT


ISSUED FOR:	DATE:	SEAL / DISCLAIMER:	CLIENT:	ARCHITECT:
PLANNING SUBMISSION	2021-03-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			

The
SOBRATO
Organization

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture

302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.381.7575




SECTIONS - BUILDING

A7.00


COPYRIGHT © 2021 by STUDIOS architecture

PROJECT NO. 20510.00




4 EXTERIOR WALL SECTION NORTH PHASE @ LOADING

SCALE: 1/8" = 1'-0"




3 EXTERIOR WALL SECTION @ BRANSTEN ST.

SCALE: 1/8" = 1'-0"



2 EXTERIOR WALL SECTION @ COMMERCIAL ST.

SCALE: 1/8" = 1'-0"



1 EXTERIOR WALL SECTION @ OLD COUNTY RD.

SCALE: 1/8" = 1'-0"

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-05-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				


SEAL / DISCLAIMER:

CLIENT

ARCHITECT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

STUDIOS
architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.383.7375




ENLARGED
ELEVATIONS AND
WALL SECTIONS

A7.02

COPYRIGHT © 2021 by STUDIOS architecture

PROJECT NO.

2023.00.00

[illegible]

KEY NOTES

- 3 AN EASEMENT FOR INDUSTRIAL SPUR TRACK, IN FAVOR OF SOUTHERN PACIFIC RAILROAD COMPANY. BOOK 250, PAGE 1 OF OFFICIAL RECORDS.
- 4 AN EASEMENT FOR INGRESS & EGRESS, IN FAVOR OF MARGIOTTA. INSTRUMENT NO. 2005-121291
- 5 STORMWATER TREATMENT AREA. INSTRUMENT NO. 2017-108453 OF OFFICIAL RECORDS

FEMA BASE FLOOD ELEVATIONS ARE BASED ON NAVD83 DATUM

SEAL / DISCLAIMER



3350 Scott Boulevard, Building 22 Phone: (408) 727-6663

CLIENT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS
architecture

architecture


COPYRIGHT © 2021 by STUDIOS architecture



C1.0

PROJECT NO.

A19129



ISSUED FOR:	DATE:		
PLANNING SUBMISSION	2021-05-12		
PLANNING RESUBMISSION	2021-12-02		
PLANNING RESUBMISSION	2022-04-29		
PLANNING RESUBMISSION 3	2023-01-11		
REVISION 4	2023-05-26		

SEAL / DISCLAIMER:




KIER+WRIGHT
3350 Scott Boulevard, Building 22
Santa Clara, California 95054
Phone: (408) 72-4665
www.kierwright.com

CLIENT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS
architecture
388 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.388.7075




PRELIMINARY CIVIL
SITE PLAN

C2.0

COPYRIGHT © 2021 by STUDIOS architecture


PROJECT NO.

A19126



C4.0

A19129



PLAN LEGEND

FIH
EX
R
(FIH) FIRE HYDRANT
(FIC) FIRE DEPARTMENT CONNECTION

PAINTED RED CURB WITH WHITE
LETTERING READING "NO PARKING - FIRE LANE"
TEXT SHALL BE A MINIMUM OF FOUR INCHES TALL
AND SHALL BE CHASED EVERY 30 FEET OR PORTION
THEREOF, ON TOP OF DESIGNATED CURBING.



PROJECT PHASE BOUNDARY
FIRE TURNAROUND BOUNDARY

Bid Number: 820
Department: Redwood City Fire Department

Chassis: Arrow XT Chassis, Tractor (Title)
Body: Aerial, Tiller, Alum Body

Parameters:
Tirebase Crimp Angle: 45°
Axle Track: 62.92 in.
Wheel Offset: 4.68 in.
Tread Width: 14.2 in.
Chassis Overhang: 69.90 in.
Additional Bumper Depth: 9 in.
Front Overhang: 75.90 in.
Wheelbase: 164 in.

Calculated Turning Radii:
Inside Turn: 12 ft. 7 in.
Curb to curb: 29 ft. 8 in.
Wall to wall: 29 ft. 6 in.



KEYNOTE

1) "NO PARKING-FIRE LANE" SIGNS TO BE INSTALLED
PER DETAIL 1

NOTES UNDERGROUND FIRE PROTECTION SYSTEM

1. THE UNDERGROUND FIRE PROTECTION SYSTEM SHOWN ON THIS DRAWING IS
SCHEMATIC AND IS NOT INTENDED TO BE AN INSTALLATION DRAWING. THIS
DRAWING SHALL NOT BE USED AS A SHOP DRAWING FOR SHOP DRAWINGS
WITHOUT THE APPROVAL OF THE PREPARED.
2. THE UNDERGROUND FIRE PROTECTION SYSTEM INSTALLER SHALL PREPARE SHOP
DRAWINGS SHOWING ALL INFORMATION REQUESTED BY SPECIFICATIONS WITH 1/4
AND THE LOCAL FIRE MARSHAL.
3. THE UNDERGROUND FIRE PROTECTION SYSTEM INSTALLER SHALL SUBMIT SHOP
DRAWINGS TO THE LOCAL FIRE MARSHAL, BUILDING OFFICIAL, AND THE OWNER'S
REVIEWING AGENT FOR PERMIT AND APPROVAL/ACCEPTANCE.
4. THE UNDERGROUND FIRE PROTECTION SYSTEM INSTALLER SHALL SUBMIT SHOP
DRAWINGS TO THE ARCHITECT, ALLOWING TIME FOR REVIEW AND ACCEPTANCE,
PRIOR TO START OF WORK. REQUIREMENTS FOR SHOP DRAWINGS SUBMITTAL
ARE LISTED IN SPECIFICATIONS.
5. SHOP DRAWINGS, APPROVED BY THE LOCAL FIRE MARSHAL AND OWNER'S
REVIEWING AGENT, SHALL BE SUBMITTED BY THE UNDERGROUND FIRE
PROTECTION SYSTEM INSTALLER TO THE ARCHITECT, PRIOR TO BEGINNING
FINAL, APPROVAL AND PAYMENT REQUIREMENTS FOR SHOP DRAWINGS
SUBMITTAL ARE LISTED IN SPECIFICATIONS.
6. REFER TO SPECIFICATIONS FOR UNDERGROUND FIRE PROTECTION SYSTEM
REQUIREMENTS. SPECIFICATIONS ARE PART OF THE CONTRACT DOCUMENTS AND
APPLIES TO THE GENERAL CONTRACTOR AND THE FIRE PROTECTION SYSTEM
INSTALLER.
7. GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFICATION OF COMPLIANCE OF
THE SHOP DRAWINGS TO THE PLANS AND SPECIFICATIONS PRIOR TO SUBMITTAL.
8. GENERAL CONTRACTOR SHALL NOT INVOKE THE WORK SPECIFIED UNDER THIS
SECTION BETWEEN SUBCONTRACTORS.
9. GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFICATION OF ALL DIMENSIONS
AND EQUIPMENT LOCATIONS. REFER LOCATIONS ARE SHOWN ON ARCHITECTURAL
DRAWINGS TO SEE ARCHITECTURAL FLOOR PLANS FOR UNDERGROUND AUTOMATIC
SPRINKLER RISER (AIR) LOCATIONS.

FIRE FLOW AND HYDRANT SPACING CALCULATION

THE FOLLOWING IS BASED ON THE FEBRUARY 11 2021 COORDINATION SET
CROSS AREA DRAWINGS.


BUILDING IS TYPE I-B CONSTRUCTION
TOTAL BUILDING GSF: 607,003 SF
FIRE FLOW FOR TYPE I-B BASED ON THREE LARGEST SUCCESSIVE FLOORS
(CFC APPENDIX B SECTION B10.2):
• BASEMENT LEVEL 1: 154,789 SF
• BASEMENT LEVEL 2: 154,789 SF
• TOWER A+B LEVEL 1: 77,273 SF
TOTAL: 346,761 SF

PER CFC APPENDIX B TABLE B10.2(2) FIRE FLOW: 4,000 GPM AT 20 PSI
REDWOOD CITY FIRE CODE 507.1.1 AND CFC TABLE B10.2.2 ALLOWING A
50% REDUCTION IN FIRE FLOW WHERE THE BUILDING IS INSTALLED WITH
AN AUTOMATIC SPRINKLER SYSTEM
REQUIRED FIRE FLOW: 3,000 GPM AT 20 PSI

PER CFC APPENDIX C TABLE C10.2.1 A FIRE FLOW OF ~3,000 GPM
REQUIRES:
• 3 FIRE HYDRANTS
• AVERAGE SPACING OF 800 FT
• MAX DISTANCE FROM ANY POINT ON STREET OR ROAD FRONTAGE TO
A HYDRANT OF 337 FT
• FOOTING: 7 PER TABLE C10.2.1 ALLOWING FOR A 50% SPACING
INCREASE WHERE THE BUILDING IS SPRINKLERED
• CALCULATIONS PROVIDED BY KIER+SW

ACCESS NOTE

1. THE ON-SITE FIRE ACCESS ROADS HAVE BEEN DESIGNED TO
ACCOMMODATE THE CLEARANCE REQUIREMENTS OF THE 2000S
MODEL REDWOOD CITY FIRE TRUCK. SEE TURNING TEMPLATE
PROVIDED ON THIS SHEET.
2. THE GROUND FLOOR SLAB AT THE NORTHERN AND SOUTHERN
ENTRANCES TO THE SITE WILL BE DESIGNED TO SUPPORT FIRE
TRUCK ACCESS (8020-44 PER A81010).



ISSUED FOR:	DATE:			
PLANNING SUBMISSION	2021-06-12			
PLANNING RESUBMISSION	2021-12-02			
PLANNING RESUBMISSION	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			


SEAL / DISCLAIMER:



CLIENT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT




PRELIMINARY FIRE
ACCESS PLAN
PHASE 1

C5.0

COPYRIGHT © 2021 BY STUDIOS architecture

PROJECT NO. A19128



PLAN LEGEND



- FH FIRE HYDRANT
EX EXISTING
R RADIUS
(FH) FIRE HYDRANT
(FDC) FIRE DEPARTMENT CONNECTION
PAINTED RED CURB WITH WHITE
LETTERING READING "NO PARKING - FIRE LANE"
TEXT SHALL BE A MINIMUM OF FOUR INCHES TALL
AND SHALL BE PLACED EVERY 30 FEET OR PORTION
THEREOF, ON TOP OF DESIGNATED CURBING.
PROJECT PHASE BOUNDARY

Bid Number: 629
Department: Redwood City Fire Department

Chassis: Arrow XT Chassis, Tractor (Tiller)
Body: Aerial, Tiller, Alum Body

Parameters:
Inside Crank Angle: 42°
Aisle Track: 82.82 in.
Wheel Offset: 4.38 in.
Tread Width: 16.3 in.
Chassis Overlap: 65.99 in.
Additional Bumper Depth: 7 in.
Front Overhang: 75.09 in.
Wheelbase: 164 in.

Calculated Turning Radii:
Inside Turn: 12 ft. 7 in.
Curb to curb: 28 ft. 9 in.
Wall to wall: 29 ft. 8 in.



KEYNOTE

"NO PARKING-FIRE LANE" SIGNS TO BE INSTALLED
POI DETAIL 1

NOTES UNDERGROUND FIRE PROTECTION SYSTEM


- THE UNDERGROUND FIRE PROTECTION SYSTEM SHOWN ON THIS DRAWING IS SUBMITTAL AND IS NOT INTENDED TO BE AN INSTALLATION DRAWING. THIS DRAWING SHALL NOT BE USED AS A BASIS FOR SHOP DRAWINGS WITHOUT WRITTEN APPROVAL OF THE PREPARED.
- THE UNDERGROUND FIRE PROTECTION SYSTEM INSTALLER SHALL PREPARE SHOP DRAWINGS SHOWING ALL INFORMATION REQUESTED BY SPECIFICATIONS WITH 1, 2, 3, 4 AND THE LOCAL FIRE MARSHAL.
- THE UNDERGROUND FIRE PROTECTION SYSTEM INSTALLER SHALL SUBMIT SHOP DRAWINGS TO THE LOCAL FIRE MARSHAL FOR REVIEW AND ACCEPTANCE, PRIOR TO START OF WORK. REQUIREMENTS FOR SHOP DRAWINGS SUBMITTAL ARE LISTED IN SPECIFICATIONS.
- THE UNDERGROUND FIRE PROTECTION SYSTEM INSTALLER SHALL SUBMIT SHOP DRAWINGS TO THE ARCHITECT, ALONG WITH THE ARCHITECT, PRIOR TO SUBMITTAL. PRIOR TO START OF WORK. REQUIREMENTS FOR SHOP DRAWINGS SUBMITTAL ARE LISTED IN SPECIFICATIONS.
- SHOP DRAWINGS, APPROVED BY THE LOCAL FIRE MARSHAL AND OWNER'S REVIEWING AGENT, SHALL BE SUBMITTED BY THE UNDERGROUND FIRE PROTECTION SYSTEM INSTALLER TO THE ARCHITECT, PRIOR TO SUBMITTAL. PRIOR TO START OF WORK. REQUIREMENTS FOR SHOP DRAWINGS SUBMITTAL ARE LISTED IN SPECIFICATIONS.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFICATION OF COMPLIANCE OF THE SHOP DRAWINGS TO THE PLANS AND SPECIFICATIONS PRIOR TO SUBMITTAL.
- GENERAL CONTRACTOR SHALL NOT INVOKE THE WORK STOPPAGE UNDER THIS SECTION BETWEEN SUBCONTRACTORS.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFICATION OF ALL DIMENSIONS AND EQUIPMENT LOCATIONS. REFER LOCATIONS ARE SHOWN ON ARCHITECTURAL DRAWINGS TO SEE ARCHITECTURAL FLOOR PLANS FOR UNDERGROUND AUTOMATIC SPRINKLER RISER (ASR) LOCATIONS.

FIRE FLOW AND HYDRANT SPACING CALCULATION

THE FOLLOWING IS BASED ON THE FEBRUARY 11 2021 COORDINATION SET
BROCK AND JACOB DRAWING
BUILDING IS TYPE I-B CONSTRUCTION
TOTAL BUILDING GSF: 607,003 SF
FIRE FLOW FOR TYPE I-B BASED ON THREE LARGEST SUCCESSIVE FLOORS
(CFC APPENDIX B SECTION B102.3)
• BASEMENT LEVEL 1: 154,789 SF
• BASEMENT LEVEL 2: 154,789 SF
• TOWER A+B LEVEL 1: 77,273 SF
TOTAL: 346,767 SF
PER CFC APPENDIX C TABLE B102.3(2) FIRE FLOW: 4,000 GPM AT 20 PSI
REDWOOD CITY FIRE CODE 507.1.1 AND CITY TABLE B102.3 ALLOWING A
SINGLE REDUCED IN FIRE FLOW WHERE THE BUILDING IS INSTALLED WITH
AN AUTOMATIC SPRINKLER SYSTEM
REQUIRED FIRE FLOW: 3,000 GPM AT 20 PSI
PER CFC APPENDIX C TABLE C102.1 A FIRE FLOW OF 3,000 GPM
REQUIRES:
• 3 FIRE HYDRANTS
• AVERAGE SPACING OF 800 FT
• MAX DISTANCE FROM ANY POINT ON STREET OR ROAD FRONTAGE TO
A HYDRANT OF 337 FT
• FOUNDATION 7 PER TABLE C102.1 ALLOWING FOR A SIDE SPACING
INCREASE WHERE THE BUILDING IS SPRINKLERED
• CALCULATIONS PROVIDED BY KIER'S FIRE

ACCESS NOTE

- THE ON-SITE FIRE ACCESS ROADS HAVE BEEN DESIGNED TO
ACCOMMODATE THE CLEARANCE REQUIREMENTS OF THE 2000S
MODEL REDWOOD CITY FIRE TRUCK. SEE TURNING TEMPLATE
PROVIDED ON THIS SHEET.
- THE GROUND FLOOR SLAB AT THE NORTHERN AND SOUTHERN
ENTRANCES TO THE SITE WILL BE DESIGNED TO SUPPORT FIRE
TRUCK ACCESS (R200-44 POI A51010).



FIRE LANE
"NO PARKING" SIGN
NOT TO SCALE

1


ISSUED FOR:	DATE:	SEAL / DISCLAIMER:
PLANNING SUBMISSION	2021-05-12	
PLANNING RESUBMISSION	2021-12-02	
PLANNING RESUBMISSION	2022-04-29	
PLANNING RESUBMISSION 3	2023-01-11	



KIER+WRIGHT
3350 Scott Boulevard, Building 22
Santa Clara, California 95054
Phone: (408) 721-6665
www.kierwright.com

CLIENT
The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT
STUDIOS
architecture
388 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - (415) 398-7075



PRELIMINARY FIRE
ACCESS PLAN

C5.1

PROJECT NO. A19129

TREATMENT CONTROL MEASURE SUMMARY TABLE

TREATMENT CONTROL MEASURE SUMMARY TABLE																	
DMA #	TCM #	Location	Treatment Type	LIU or Non-LIU	Sliding Method	Drainage Area (s.f.)	Impervious Area (s.f.)	Pervious Area (s.f.)	Perforated Area (s.f.)	% Crust Area (s.f.)	Retention Area (s.f.)	Retention Area (s.f.)	Retention Area (s.f.)	Retention Area (s.f.)	Retention Area (s.f.)	Retention Area (s.f.)	Retention Area (s.f.)
1	1	Onsite	Flow-Through planter (concrete lined) w/ underdrain	LID	3. Flow-Volume Combo	5,503	4,180	0	1,323	3.70%	157	234	6	N/A	N/A	N/A	N/A
2	2	Onsite	Flow-Through planter (concrete lined) w/ underdrain	LID	3. Flow-Volume Combo	48,019	43,129	0	4,890	32.35%	1,170	1,193	8	N/A	N/A	N/A	N/A
3	3	Onsite	Flow-Through planter (concrete lined) w/ underdrain	LID	3. Flow-Volume Combo	7,981	7,495	0	455	5.36%	189	455	6	N/A	N/A	N/A	N/A
4	4	Onsite	Flow-Through planter (concrete lined) w/ underdrain	LID	3. Flow-Volume Combo	6,313	6,031	0	282	4.25%	102	283	6	N/A	N/A	N/A	N/A
5	5	Onsite	Proprietary Media Filter System (MFS)	Non-LID	3. Flow-Volume Combo	66,642	66,642	0	0	44.84%	N/A	N/A	N/A	13	13	PerkFilter	18
6	6	Onsite	Flow-Through planter (concrete lined) w/ underdrain	LID	3. Flow-Volume Combo	3,874	2,853	0	921	2.61%	104	176	6	N/A	N/A	N/A	N/A
7	7	Onsite	Self-retaining areas	LID	1B Volume	2,231	66	0	2,165	1.50%	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8	8	Onsite	Self-retaining areas	LID	1B Volume	2,558	639	0	1,919	1.72%	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9	9	Onsite	Self-retaining areas	LID	1B Volume	1,041	501	0	540	0.70%	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10	10	Onsite	Self-retaining areas	LID	1B Volume	4,431	914	0	3,517	2.98%	N/A	N/A	N/A	N/A	N/A	N/A	N/A
On-Site Totals:						148,633	132,579	0	16,054	100%							
11	11	Offsite	Untreated ****	LID	N/A	16,203	15,085	0	1,118		453	453	6	N/A	N/A	N/A	N/A
12	12	Offsite	Untreated ****	N/A	N/A	11,908	11,754	0	154		453	453	6	N/A	N/A	N/A	N/A
DMA 11 is considered LID treatment and will be in lieu treated further East along Branston where there is existing storm drain main. The final design for the in-lieu treatment will be provided in the construction permit drawings.																	
DMA 12 will be considered green infrastructure treatment and will be in lieu treated further East along Branston where there is existing storm drain main. The final design for the in-lieu treatment will be provided in the construction permit drawings.																	

SITE DESIGN MEASURES

1. PARKING ON TOP OF OR UNDER BUILDING.

SOURCE CONTROL MEASURES


1. MAINTENANCE (PAVEMENT SHEEPING, CATCH BASIN CLEANING, GOOD HOUSEKEEPING).
2. STORM DRAIN LABELING.
3. INTERIOR PARKING STRUCTURES.

FLOW THROUGH INSPECTION & MAINTENANCE

NO.	MAINTENANCE TASK	FREQUENCY OF TASK
1	INSPECT THE PLANTER SURFACE AREA, INLETS AND OUTLETS FOR OBSTRUCTIONS AND TRASH; CLEAR ANY OBSTRUCTIONS AND REMOVE TRASH.	QUARTERLY
2	INSPECT PLANTER FOR STANDING WATER. IF STANDING WATER DOES NOT DRAIN WITHIN 3-5 DAYS, THE SURFACE BROTHERMENT SOIL SHOULD BE TILLED OR REPLACED WITH THE APPROVED SOIL MIX AND RE-PLANTED. USE THE CLEANEST PUMP TO CLEAR ANY UNDERRAINS OF OBSTRUCTIONS OR CLOSING MATERIAL.	QUARTERLY
3	CHECK FOR EROSION OF SETTLED BROUTHERMENT SOIL MEDIA. LEVEL SOIL WITH RAKE AND REMOVE/REPLANT VEGETATION AS NECESSARY.	QUARTERLY
4	MAINTAIN THE VEGETATION AND IRRIGATION SYSTEM. PRUNE AND NEED TO KEEP FLOW-THROUGH PLANTER NEAT AND ORDERLY IN APPEARANCE.	QUARTERLY
5	EVALUATE HEALTH AND DENSITY OF VEGETATION. REMOVE AND REPLACE ALL DEAD AND DISEASED VEGETATION. REMOVE EXCESSIVE GROWTH OF PLANTS THAT ARE TOO CLOSE TOGETHER.	ANNUALLY BEFORE THE RAINY SEASON BEGINS
6	USE COMPOST AND OTHER NATURAL SOIL AMENDMENTS AND FERTILIZERS INSTEAD OF SYNTHETIC FERTILIZERS, ESPECIALLY IF THE SYSTEM USES AN UNDERDRAIN.	ANNUALLY BEFORE THE RAINY SEASON BEGINS
7	INSPECT THE OVERFLOW PIPE TO MAKE SURE THAT IT CAN SAFELY CONVEY EXCESS FLOW TO A STORM DRAIN. REPAIR OR REPLACE ANY DAMAGED OR DISCONNECTED PIPING. USE THE CLEANEST PUMP TO CLEAR ANY UNDERRAINS OF OBSTRUCTIONS OR CLOSING MATERIAL.	ANNUALLY BEFORE THE RAINY SEASON BEGINS
8	INSPECT THE ENERGY DISSIPATOR AT THE INLET TO ENSURE IT IS FUNCTIONING ADEQUATELY, AND THAT THERE IS NO SCOUR OF THE SURFACE MEDIA. REMOVE ANY ACCUMULATION OF SEDIMENT.	ANNUALLY BEFORE THE RAINY SEASON BEGINS
9	INSPECT AND, IF NEEDED, REPLACE WOOD MULCH. IT IS RECOMMENDED THAT 2" TO 3" OF COMPOSTED ARBOR MULCH BE APPLIED EVERY 3 YEARS.	ANNUALLY BEFORE THE RAINY SEASON BEGINS
10	INSPECT SYSTEM FOR EROSION OF BROUTHERMENT SOIL MEDIA. LOSS OF MEDIA, STANDING WATER, CLOGGED OVERFLOWS, WEEDS, TRASH AND DEAD PLANTS, IF LONG ROCK MULCH, CHECK FOR 3" OF COVERAGE.	ANNUALLY AT THE END OF THE RAINY SEASON AND/OR AFTER LARGE STORM EVENTS
11	INSPECT SYSTEM FOR STRUCTURAL INTEGRITY OF WALLS, FLOW SPREADERS, ENERGY DISSIPATORS, CURB CUTS, OUTLETS AND FLOW SPLITTERS.	ANNUALLY AT THE END OF THE RAINY SEASON AND/OR AFTER LARGE STORM EVENTS


MEDIA FILTER INSPECTION & MAINTENANCE

NO.	MAINTENANCE TASK	FREQUENCY OF TASK
1	INSPECT FOR STANDING WATER, SEDIMENT, TRASH AND DEBRIS.	MONTHLY DURING RAINY SEASON
2	REMOVE ACCUMULATED TRASH AND DEBRIS IN THE UNIT DURING ROUTINE INSPECTIONS.	MONTHLY DURING RAINY SEASON, OR AS NEEDED AFTER STORM EVENTS
3	INSPECT TO ENSURE THAT THE FACILITY IS DRAINING COMPLETELY WITHIN FIVE DAYS AND PER MANUFACTURER'S SPECIFICATIONS.	ONCE DURING THE WET SEASON AFTER MAJOR STORM EVENT
4	REPLACE THE MEDIA PER MANUFACTURER'S INSTRUCTIONS OR AS INDICATED BY THE CONDITION OF THE UNIT.	PER MANUFACTURER'S SPECIFICATIONS
5	INSPECT OUTLETS TO ENSURE PROPER DRAINAGE.	MONTHLY DURING RAINY SEASON, OR AS NEEDED AFTER STORM EVENTS



Notes:

1. Precast concrete structure shall be manufactured in accordance with ASTM Designation C857 and C858.
2. Filter system shall be supplied with traffic rated (120) bolted & gasketed (336) circular access covers with risers as required. Shallow applications may require configurations with (120) bolted & gasketed square/rectangular access hatches. Field poured concrete collars required by others.
3. Inlet & outlet pipe(s) (Ø 18" maximum) may enter device on all three sides of the inlet & outlet chambers respectively.
4. Inlet chamber shall be supplied with a drain-down device designed to remove standing water between storm events.
5. For depths less than specified minimums contact Oldcastle® Stormwater Solutions for engineering assistance.




MINIMUM DEPTH - RIM TO OUTLET INVERT -			
CARTRIDGE STACK CONFIGURATION	12"	12" x 12"	12" x 12"
12"	5.00'	5.00'	5.00'
12" x 12"	5.00'	5.00'	5.00'

TREATMENT FLOW RATES, TOTAL FLOW CAPACITIES & MAXIMUM HEAD LOSS			
CARTRIDGE STACK CONFIGURATION			
12" x 12"			
CARTRIDGE STACK CONFIGURATION	12"	12" x 12"	12" x 12"
12"	5.00'	5.00'	5.00'
12" x 12"	5.00'	5.00'	5.00'



FOR REFERENCE



ISSUED FOR:	DATE:		
PLANNING SUBMISSION	2021-05-12		
PLANNING RESUBMISSION	2021-12-02		
PLANNING RESUBMISSION	2022-04-29		
PLANNING RESUBMISSION 3	2023-01-11		

SEAL / DISCLAIMER:

KIER+WRIGHT

3350 Scott Boulevard, Building 22
Santa Clara, California 95054

Phone: (408) 727-6665
www.kierwright.com

CLIENT

The SOBRATO Organization

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS architecture

388 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.288.7075

PRELIMINARY STORMWATER QUALITY CONTROL NOTES AND DETAILS

C6.1

PROJECT NO. A19128

FLOW-THROUGH PLANTER COMBO FLOW & VOLUME CALC

DMA 01 - SIZING FOR VOLUME BASED TREATMENT	
A= 5,503 s.f.	% Imperviousness= 75.96%
Impervious Area = 4,180 s.f.	
MApale = 13.8'	Correction Factor= 0.9928
MAPage = 13.9'	
Clay (D) <input checked="" type="checkbox"/>	Sandy Clay (D) <input type="checkbox"/> Clay Loam (D) <input type="checkbox"/>
Silt Loam/Loam (B) <input type="checkbox"/>	Not Applicable (100% Impervious) <input type="checkbox"/>
Are the soils outside the building footprint not graded/compacted? <input type="checkbox"/> Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type <input type="text"/> Clay	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.502472 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.527919 inches (Use Figure B-2)	
UBS Volume for X% Slope (UBSX%) = 0.602472 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSX% (Step 5)	
Adjusted UBS = 0.49886 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 191/2inch	
Design Volume = 238.77 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 5,503.00 sq. ft.	
Impervious Area = 4,180.00 sq. ft.	
Pervious Area = 1,323.00 sq. ft.	
Equivalent Impervious Area = 132.30'	
Total Equivalent Impervious = 4,312.30' sq. ft.	
Rainfall intensity = 0.2 in/hr	
Duration = 2.4433 hrs	
Estimate the Surface Area = 148.95 sq. ft. (Typically start with Total Impervious x 0.03)	
Volume of Treated Runoff = 154.45 cu. ft.	
Volume in Ponding Area = 74.27 cu. ft.	
Depth of Ponding = 0.50' ft.	
Depth of Ponding = 6 inches (Round up)	
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

DMA 02 - SIZING FOR VOLUME BASED TREATMENT	
A= 48,079 s.f.	% Imperviousness= 89.70%
Impervious Area = 43,129 s.f.	
MApale = 13.8'	Correction Factor= 0.9928
MAPage = 13.9'	
Clay (D) <input checked="" type="checkbox"/>	Sandy Clay (D) <input type="checkbox"/> Clay Loam (D) <input type="checkbox"/>
Silt Loam/Loam (B) <input type="checkbox"/>	Not Applicable (100% Impervious) <input type="checkbox"/>
Are the soils outside the building footprint not graded/compacted? <input type="checkbox"/> Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type <input type="text"/> Clay	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.545084 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.582439 inches (Use Figure B-2)	
UBS Volume for X% Slope (UBSX%) = 0.646084 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSX% (Step 5)	
Adjusted UBS = 0.54116 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 191/2inch	
Design Volume = 2,182.81 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 48,079.00 sq. ft.	
Impervious Area = 43,129.00 sq. ft.	
Pervious Area = 4,950.00 sq. ft.	
Equivalent Impervious Area = 495.00'	
Total Equivalent Impervious = 43,624.00' sq. ft.	
Rainfall intensity = 0.2 in/hr	
Duration = 2.7051 hrs	
Estimate the Surface Area = 1408.94 sq. ft. (Typically start with Total Impervious x 0.03)	
Volume of Treated Runoff = 1362.53 cu. ft.	
Volume in Ponding Area = 805.69 cu. ft.	
Depth of Ponding = 0.67' ft.	
Depth of Ponding = 8 inches (Round up)	
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

DMA 03 - SIZING FOR VOLUME BASED TREATMENT	
A= 7,961 s.f.	% Imperviousness= 84.15%
Impervious Area = 7,495 s.f.	
MApale = 13.8'	Correction Factor= 0.9928
MAPage = 13.9'	
Clay (D) <input checked="" type="checkbox"/>	Sandy Clay (D) <input type="checkbox"/> Clay Loam (D) <input type="checkbox"/>
Silt Loam/Loam (B) <input type="checkbox"/>	Not Applicable (100% Impervious) <input type="checkbox"/>
Are the soils outside the building footprint not graded/compacted? <input type="checkbox"/> Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type <input type="text"/> Clay	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.558654 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.582439 inches (Use Figure B-2)	
UBS Volume for X% Slope (UBSX%) = 0.589854 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSX% (Step 5)	
Adjusted UBS = 0.55403 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 191/2inch	
Design Volume = 368.80 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 7,961.00 sq. ft.	
Impervious Area = 7,495.00 sq. ft.	
Pervious Area = 466.00 sq. ft.	
Equivalent Impervious Area = 46.60'	
Total Equivalent Impervious = 7,541.60' sq. ft.	
Rainfall intensity = 0.2 in/hr	
Duration = 2.71417 hrs	
Estimate the Surface Area = 232.38 sq. ft. (Typically start with Total Impervious x 0.03)	
Volume of Treated Runoff = 256.80 cu. ft.	
Volume in Ponding Area = 111.14 cu. ft.	
Depth of Ponding = 0.50' ft.	
Depth of Ponding = 6 inches (Round up)	
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

DMA 04 - SIZING FOR VOLUME BASED TREATMENT	
A= 6,031 s.f.	% Imperviousness= 96.53%
Impervious Area = 6,031 s.f.	
MApale = 13.8'	Correction Factor= 0.9928
MAPage = 13.9'	
Clay (D) <input checked="" type="checkbox"/>	Sandy Clay (D) <input type="checkbox"/> Clay Loam (D) <input type="checkbox"/>
Silt Loam/Loam (B) <input type="checkbox"/>	Not Applicable (100% Impervious) <input type="checkbox"/>
Are the soils outside the building footprint not graded/compacted? <input type="checkbox"/> Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type <input type="text"/> Clay	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.563152 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.589599 inches (Use Figure B-2)	
UBS Volume for X% Slope (UBSX%) = 0.563152 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSX% (Step 5)	
Adjusted UBS = 0.5591 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 191/2inch	
Design Volume = 364.13 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 6,031.00 sq. ft.	
Impervious Area = 6,031.00 sq. ft.	
Pervious Area = 262.00 sq. ft.	
Equivalent Impervious Area = 26.20'	
Total Equivalent Impervious = 6,057.20' sq. ft.	
Rainfall intensity = 0.2 in/hr	
Duration = 2.7868 hrs	
Estimate the Surface Area = 170.60 sq. ft. (Typically start with Total Impervious x 0.03)	
Volume of Treated Runoff = 205.80 cu. ft.	
Volume in Ponding Area = 88.34 cu. ft.	
Depth of Ponding = 0.50' ft.	
Depth of Ponding = 6 inches (Round up)	
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

DMA 05 - SIZING FOR VOLUME BASED TREATMENT	
A= 3,874 s.f.	% Imperviousness= 78.23%
Impervious Area = 2,953 s.f.	
MApale = 13.8'	Correction Factor= 0.9928
MAPage = 13.9'	
Clay (D) <input checked="" type="checkbox"/>	Sandy Clay (D) <input type="checkbox"/> Clay Loam (D) <input type="checkbox"/>
Silt Loam/Loam (B) <input type="checkbox"/>	Not Applicable (100% Impervious) <input type="checkbox"/>
Are the soils outside the building footprint not graded/compacted? <input type="checkbox"/> Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type <input type="text"/> Clay	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.503001 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.529879 inches (Use Figure B-2)	
UBS Volume for X% Slope (UBSX%) = 0.603001 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSX% (Step 5)	
Adjusted UBS = 0.49968 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 191/2inch	
Design Volume = 161.31 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 3,874.00 sq. ft.	
Impervious Area = 2,953.00 sq. ft.	
Pervious Area = 921.00 sq. ft.	
Equivalent Impervious Area = 92.10'	
Total Equivalent Impervious = 3,045.10' sq. ft.	
Rainfall intensity = 0.2 in/hr	
Duration = 2.4984 hrs	
Estimate the Surface Area = 104.59 sq. ft. (Typically start with Total Impervious x 0.03)	
Volume of Treated Runoff = 108.98 cu. ft.	
Volume in Ponding Area = 52.30 cu. ft.	
Depth of Ponding = 0.50' ft.	
Depth of Ponding = 6 inches (Round up)	
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

DMA 11 - SIZING FOR VOLUME BASED TREATMENT	
A= 16,122 s.f.	% Imperviousness= 97.61%
Impervious Area = 15,736 s.f.	
MApale = 13.8'	Correction Factor= 0.9928
MAPage = 13.9'	
Clay (D) <input checked="" type="checkbox"/>	Sandy Clay (D) <input type="checkbox"/> Clay Loam (D) <input type="checkbox"/>
Silt Loam/Loam (B) <input type="checkbox"/>	Not Applicable (100% Impervious) <input type="checkbox"/>
Are the soils outside the building footprint not graded/compacted? <input type="checkbox"/> Yes/No	
If no, and the soil will be compacted during site preparation and grading, the soils infiltration ability will be decreased. Modify your answer to a soil with a lower infiltration rate (eg. Silt Loam to Clay)	
Modified Soil Type <input type="text"/> Clay	
S= 1.00%	
UBS Volume for 1% Slope (UBS1%) = 0.569578 inches (Use Figure B-2)	
UBS Volume for 15% Slope (UBS15%) = 0.592817 inches (Use Figure B-2)	
UBS Volume for X% Slope (UBSX%) = 0.569578 inches (Corrected Slope for the site)	
Adjusted UBS = Correction Factor (Step 2) x UBSX% (Step 5)	
Adjusted UBS = 0.56548 inches	
Design Volume = Adjusted UBS (Step 6) x Drainage Area (Step 1) x 191/2inch	
Design Volume = 759.72 ft ³	
COMBO FLOW & VOLUME BIORETENTION CALCULATION	
Total Drainage Area = 16,122.00 sq. ft.	
Impervious Area = 15,736.00 sq. ft.	
Pervious Area = 386.00 sq. ft.	
Equivalent Impervious Area = 38.60'	
Total Equivalent Impervious = 15,774.60' sq. ft.	
Rainfall intensity = 0.2 in/hr	
Duration = 2.8274 hrs	
Estimate the Surface Area = 452.74 sq. ft. (Typically start with Total Impervious x 0.03)	
Volume of Treated Runoff = 533.37 cu. ft.	
Volume in Ponding Area = 226.30 cu. ft.	
Depth of Ponding = 0.50' ft.	
Depth of Ponding = 6 inches (Round up)	
If Depth of Ponding is less than 6" the design can be optimized with a smaller surface area. (repeat)	
If Depth of Ponding is greater than 12" a larger surface area will be required (repeat)	
If Depth of Ponding is between 6" to 12" this is the range allowable for bioretention of flow through planters.	

MEDIA FILTER CALCULATIONS

MEDIA FILTER SIZING	
DMA # 5	A= 65642 s.f.
C Value 0.9	Area* 65,642
0.6	0
0.7	0
0.1	0
Rainfall Intensity (I) = 0.2	
* Input values by hand or use Table at the bottom of the spreadsheet.	
Q= C x I x A	
Q= 0.2733602 cfs	
Manufacturer Krista/Oscadee	
Cartridge Height 16 in.	
G.U.L.D. Cartridge Treatment Flowrate (CTF) 10.2 gpm/cartridge	
# Cartridges = 13	
# Cartridges = 12,1213 (round up)	
# Cartridges Required= 13	
Treatment Flow Rate Capacity= 0.295323 cfs	

LID TREATMENT REDUCTION CREDIT CALCULATION


F.2 LID Treatment Reduction Credit Calculation					
(If more than one category applies, check only one of the applicable categories and fill out the table for that category)					
Category	Impervious Area Credit/Reduction (sq. ft.)	Site Coverage (%)	Project Through or PAV (%)	Density/Criteria	Allowable Credit (%)
A			N/A	N/A	100%
B				Item 1: 30 Ditches or FAR > 2.1	50%
				Item 2: 15 Ditches or FAR > 3.1	75%
				Item 3: 100 Ditches or FAR > 4.1	100%
C				Location credit (select one):	
				Within 1/2 mile of transit hub	50%
				Within 1/4 mile of transit hub	25%
				Within 1/8 mile of transit hub	25%
				Density credit (select one):	
				Item 1: 30 Ditches or FAR > 2.1	10%
				Item 2: 60 Ditches or FAR > 3.1	20%
				Item 3: 100 Ditches or FAR > 4.1	30%
				Parking credit (select one):	
				0-10% upgrade surface parking	10%
				10-20% upgrade surface parking	20%
				No surface parking	0%
				TOTAL LID CREDIT =	40

ISSUED FOR:	DATE:	
PLANNING SUBMISSION	2021-06-12	
PLANNING RESUBMISSION	2021-12-02	
PLANNING RESUBMISSION	2022-04-29	
PLANNING RESUBMISSION 3	2023-01-11	

SEAL / DISCLAIMER:



CLIENT
The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070



PRELIMINARY
STORMWATER QUALITY
CONTROL CALCULATION
C6.2
PROJECT NO. A19128






200 ft

 Haul Route
 Project Area



11,000 LOADS
11CY/LOAD

11CY/LOAD

ISSUED FOR:	DATE:
PLANNING SUBMISSION	2021-05-12
 PLANNING RESUBMISSION	2021-12-02
 PLANNING RESUBMISSION	2022-04-29
 PLANNING RESUBMISSION 3	2023-01-11

DATE: _____

SEAL / DISCLAIMER



3350 Scott Boulevard, Building 22 Phone: (408) 727-6665
Santa Clara, California 95054 www.kierwright.com

Phone: (408) 727-6665
www.biomimicry.com

www.xerang.com

CLIENT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070


803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

SAN CARLOS, CA 94070

ARCHITECT

STUDIOS
architecture

350 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.398.7575




**PRELIMINARY
EXCAVATION HAUL
ROUTE**

C7.0

COPYRIGHT © 2021 by STUDIOS architecture


PROJECT NO.

A19129



STANDARD CURB

1



VICINITY MAP

OWNER/DEVELOPER: SI 74, LLC
500 CASTRO STREET, STE. 8400

- | NO. | REVISION | | BY | NO. | REVISION | BY |
|-----|----------|----------------------------------|----|-----|----------|----|
| ① | | PLANNING RESUBMISSION - 12/02/21 | EK | ① | | |
| ② | | PLANNING RESUBMISSION - 4/29/22 | EK | ① | | |
| ③ | | PLANNING RESUBMISSION - 1/11/23 | EK | ① | | |
| ④ | | PLANNING RESUBMISSION - 5/26/23 | EK | ① | | |

 KIER+WRIGHT
350 Scott Boulevard, Building 22 Phone: (408) 727-6665

CAI TEORNTA

TENTATIVE PARCEL MAP
OF
803-851 OLD COUNTY ROAD
FOR
THE SOBRATO ORGANIZATION

AN CARLOS


DATE	JUNE, 20
SCALE	AS SHOWN
SURVEYOR	RS
DRAWN BY	
JOB NO.	A19129
SHEET	1
OF 5 SHEETS	

- BLADING LINE
- BARRICADE
- COVERLINE
- COMMUNICATION LINE
- CONCRETE BLOCK/RETAINING WALL
- CONCRETE CURB
- CONCRETE CURB & GUTTER
- CONTACT LINE
- DRAINAGE
- EASEMENT LINE
- EDGE OF PAVEMENT
- ELECTRIC LINE
- FENCE LINE
- FIBER OPTIC LINE
- FIRE SCENE LINE & VALVE
- FLAT LINE-VALVE & METER
- SLAND LINE
- JOINT TRENCH LINE
- LOT LINE
- MORUMENT/ANCKMENT LINE
- OVERHEAD POWER LINE
- PROPERTY LINE
- RAILROAD
- SANITARY SEWER LINE-MANHOLE & SANITARY SEWER FORCE MAIN LINE
- SEWERAL
- SPOT ELEVATION
- STREET DRAIN LINE-MANHOLE & CAT
- STREET DRAIN LINE-MANHOLE & CAT
- STREET DRAIN FORCE MAIN LINE
- STREET LIGHT CONDUIT LINE
- TELEPHONE LINE
- TRAFFIC SIGNAL CONDUIT LINE
- CABLE TELEVISION LINE
- WATER LINE & VALVE

[illegible]

LINE #	DIRECTION	LENGTH
L1	N48°53'00"E	17.02'
L2	N41°07'00"W	7.93'

CURVE #	RADIUS	DELTA	LENGTH
C1	414.97'	1°22'23"	9.94'
C2	397.97'	1°29'08"	10.32'





PROPERTY LINE	PROPERTY LINE
ADJACENT PROPERTY LINE	PROPERTY LINE TO BE REMOVED
PROPERTY LINE TO BE REMOVED	CENTERLINE/MONUMENT LINE, AS IS
EASEMENT LINE	EASEMENT LINE
INGRESS EGRESS EASEMENT	INGRESS EGRESS EASEMENT
OFFICIAL RECORDS	OFFICIAL RECORDS
REFERENCE MAP NUMBER	REFERENCE MAP NUMBER
RIGHT OF WAY	RIGHT OF WAY
TOTAL	TOTAL


R1 RECORD OF SURVEY (31 LLS 14)

- | | | |
|----|------------------|-------------------|
| R1 | RECORD OF SURVEY | (31 ILS 14) |
| R2 | GRANT DEED | (DOC 2002-221816) |
| R3 | RECORD OF SURVEY | (15 ILS 127) |

EXISTING CONDITIONS



NO.	REVISION	BY	NO.	REVISION	BY
1	PLANNING RESUBMISSION - 1/20/21	ER	1		
2	PLANNING RESUBMISSION - 4/2/22	ER	2		
3	PLANNING RESUBMISSION - 1/1/23	ER	3		
4	PLANNING RESUBMISSION - 5/24/23	ER	4		






 KIER+WRIGHT

CAI TEORNTA

TENTATIVE PARCEL MAP
OF
803-851 OLD COUNTY ROAD
FOR
THE SOBRATO ORGANIZATION

SAN CARLOS
2023

DATE	JUNE, 20
SCALE	AS SHOWN
SURVEYOR	RS
DRAWN BY	
JOB NO.	A19129
SHEET	2
OF 5 SHEETS	




CROSS SECTIONS

NO.	REVISION	DATE	BY	CHK
1	PLANNING RESUBMISSION - 12/02/21	12/02/21	AK	AK
2	PLANNING RESUBMISSION - 4/20/22	4/20/22	AK	AK
3	PLANNING RESUBMISSION - 1/11/23	1/11/23	AK	AK
4	PLANNING RESUBMISSION - 5/2/23	5/2/23	AK	AK

DATE	JUNE 2023
SCALE	AS SHOWN
SURVEYOR	ASST
DRAWN BY	CT
JOB NO.	A19129-1
SHEET	3
OF	5 SHEETS

TENTATIVE PARCEL MAP	CALIFORNIA
803-851 OLD COUNTY ROAD	
FOR	
THE SOBRATO ORGANIZATION	
SAN CARLOS,	

KIER+WRIGHT	3105 Scott Boulevard, Building 22 San Carlos, California 95054 Phone: (408) 722-6668 www.kierwright.com
-------------	--



PRELIMINARY UTILITY PLAN

TENTATIVE PARCEL MAP
803-851 OLD COUNTY ROAD
FOR
THE SOBRATO ORGANIZATION

KIER+WRIGHT
3300 Scott Boulevard, Building 22
San Diego, California 92161
Phone: (619) 772-6666
www.kierwright.com

REVISION

NO.	DATE	BY	CHKD.	REVISION
1	12/02/21	BR	EC	PLANNING RESUBMISSION - 12/02/21
2	4/29/22	BR	EC	PLANNING RESUBMISSION - 4/29/22
3	11/17/23	BR	EC	PLANNING RESUBMISSION - 11/17/23
4	5/2/23	BR	EC	PLANNING RESUBMISSION - 5/2/23

DATE: JUNE 2023
SCALE: AS SHOWN
SURVEYOR: BS31
DRAWN BY: CT
JOB NO.: A19129-1
SHEET: 5
OF: 5 SHEETS

SAN CARLOS, CALIFORNIA

1/16/2021 10:27:17 AM

BM 380 (20510) - 800 Old County Road, San Francisco, CA 94107

20510.00

5089A10



1 SCHEMATIC LANDSCAPE PLAN
SCALE: 1" = 20'-0"



ISSUED FOR	DATE				
PLANNING SUBMISSION	2021-09-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

LANDSCAPE ARCHITECT:


THE Guzzardo Partnership, INC.
Landscape Architects | Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT

The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS architecture
300 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.388.7375



COPYRIGHT © 2021 by STUDIOS architecture

1/16/2021 10:27 PM

BM 380.025(1) 00 - 800 ON County Rd 20080000 800 ON COUNTY ROAD JINCA7/1/2020/1

2010.00

5089410



1 LANDSCAPE PHASE 1 PLAN

SCALE: 1" = 20'-0"

ISSUED FOR	DATE			
PLANNING SUBMISSION	2021-05-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			

LANDSCAPE ARCHITECT:

THE Guzzardo Partnership, INC.
Landscape Architects | Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT

The SOBRATO Organization
8030 S. DOLAN BLVD. SUITE 100
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS architecture
302 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.398.7373

NORTH

SOUTH

LANDSCAPE PHASE 1 PLAN

L1.02

COPYRIGHT © 2021 by STUDIOS architecture


PROJECT NO. 20510.00

1/18/2021 1:02:21 PM

BN 18012010-100-02 County Ref: 088810, 801 OLD COUNTY ROAD, ANNOTATION, 20201.00

20210.00


5/28/2021



1 SCHEMATIC COURTYARD PLAN ENLARGEMENT


SCALE: 1" = 10'-0"

SCALE: 1" = 10'-0"




5 PHASE 1 SOUTH BUILDING TERRACE LEVEL 5

SCALE: 1" = 10'-0"




2 PHASE 2 NORTH BUILDING TERRACE LEVEL 3

SCALE: 1" = 10'-0"



3 PHASE 1 SOUTH BUILDING TERRACE LEVEL 3

SCALE: 1" = 10'-0"



4 PHASE 1 SOUTH BUILDING TERRACE LEVEL 3

SCALE: 1" = 10'-0"

ISSUED FOR	DATE				
PLANNING SUBMISSION	2021-05-12				
PLANNING RESUBMISSION	2021-12-02				
PLANNING RESUBMISSION	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

LANDSCAPE ARCHITECT:

THE GUZZARDO PARTNERSHIP INC.
Landscape Architects • Land Planners
151 Greenwich Street
San Francisco, CA 94111
T 415 433 4672
F 415 433 5003

CLIENT

The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS architecture
380 CALIFORNIA STREET, FLOOR 21 • SAN FRANCISCO, CA 94104 • 415.388.7073

NORTH

SOUTH

SCHEMATIC LANDSCAPE PLAN ENLARGEMENTS

L1.11

COPYRIGHT © 2021 by STUDIOS architecture

PROJECT NO. 20510.00

- OLD COUNTY ROAD STREET LIGHT
STERNBERG LIGHTING
STREET SIDE- STERNBERG 1914LED-3L40T4-MDL09-SG-HSS
28" MOUNTING HEIGHT TYPE IV LIGHT DIST.
30' POLE WITH 8' MAST ARM
- PEDESTRIAN SIDE- STERNBERG A850SRLED-12L40T3-MDL008
13' MOUNTING HEIGHT CROSS ARM TO POLE.
TYPE III SEMI CUT-OFF.
- BRANSTEN ROAD COMMERCIAL STREET LIGHTING LIGHTING
CREE LEDWAY SERIES STR-LWY-3M- -06-E-UL-700-40K
28" MOUNTING HEIGHT. TYPE III MEDIUM LIGHT
DISTRIBUTION.




WALL LIGHT
BEGA 33 058 LED RECESSED WALL LIGHT



CANOPY LIGHT
ROTON OUTDOOR PENDANT 18" WITH 36 WATT LED





BOLLARD LIGHT
BEGA 77 752/753/787 LED BOLLARDS (VARIOUS HEIGHTS)



PARKING LOT POLE LIGHT
BEGA 88 164 LED POLE TOP LUMINAIRES



PARKING LOT POLE TOP LIGHT
BEGA 77 950 LED POLE TOP LUMINAIRES
WITH OUTRIGGER




1 SCHEMATIC LANDSCAPE LIGHTING PLAN
SCALE: 1" = 20'-0"

ISSUED FOR:	DATE:			
PLANNING SUBMISSION	2021-05-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2022-07-11			
PLANNING RESUBMISSION 4	2023-05-26			

LANDSCAPE ARCHITECT:
THE Guzzardo Partnership, INC.
Landscape Architects/ Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT
The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT
STUDIOS architecture
350 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - (415) 381-7875




SCHEMATIC
LANDSCAPE LIGHTING
PLAN

L2.01

COPYRIGHT © 2021 by STUDIOS architecture

PROJECT NO. 205100

1/26/2021 10:27 PM
BIN 350/20510.00 - 803 OLD COUNTY ROAD SAN CARLOS, CA 94070, 20210.00
20510.00
SOBRATO



Pedestrian Accent Paving



Pedestrian Accent Paving



Drop off Concrete Paving



Vehicular Concrete Paving



Concrete Planters at Street Level




Steel Planters on Roof Terraces



Wood Deck Paving




Pedestrian Concrete Pathway



Concrete Pedestal Paving on Roof Terraces



Porcelain Paving



ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-05-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

LANDSCAPE ARCHITECT:

THE
Guzzardo
Partnership, INC.
Landscape Architects | Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT

The
SOBRATO
Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS
architecture
360 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.384.7575

LANDSCAPE MATERIAL:
Paving

L3.01

PROJECT NO. 20510.00

1/26/2021 10:27 PM

B:\907291030 - 803 Old County Road\BIO\BIO TO JRD OLD COUNTY ROAD ANNOTATION 2020.rvt

2/26/2020

SOBRATO




Intimate Seating Area




Featured Raised Planter




Bike Rack



Sliding Gate Both Ends of Courtyard



Raised Planter with Seating



Outdoor Kitchen



Cafe Seating



Communal Dining under Shade Structure



Outdoor Lounge Area



Continuous Raised Planter on Street Frontage



Terraced Seating Area




Signage

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-05-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

LANDSCAPE ARCHITECT:
THE Guzzardo Partnership, INC.
Landscape Architects | Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT
The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT
STUDIOS architecture
360 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.384.7575



Landscape Material:
Furnishings

L3.02

COPYRIGHT © 2021 by STUDIOS architecture

PROJECT NO. 20510.00

[illegible]

1 SCHEMATIC PLANTING PLAN

ISSUED FOR:		DATE:	
	PLANNING SUBMISSION	2021-05-12	
	PLANNING RESUBMISSION 1	2021-12-02	
	PLANNING RESUBMISSION 2	2022-04-29	
	PLANNING RESUBMISSION 3	2023-01-11	
	PLANNING RESUBMISSION 4	2023-05-26	

LANDSCAPE ARCHITECT:

 THE
**Guzzardo
Partnership, INC.**
Landscape Architects | Land Planners

Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.gpp-inc.com

CLIENT

The
SOBRATO
Organization

803935 LOLOCCOUNT ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS
architecture

350 CALIFORNIA STREET, FLOOR 21 • SAN FRANCISCO, CA 94104 • 415.398.7537

COPYRIGHT © 2021 by STUDIOS architecture

**TREE SCHEMATIC
PLANTING PLAN**

L4.01


PROJECT NO	205100
------------	--------

1/26/2021 10:27 PM

BM 380/250/0.00 - 800 Old County Resubmittal, 800 Old County Road, Jannat, CA 94024


20510.00

SOBRATO



5 PHASE 1 SOUTH BUILDING TERRACE LEVEL 5


SCALE: 1" = 10'-0"



1 SCHEMATIC PLANTING PLAN ON TERRACE LEVEL 3

SCALE: 1" = 10'-0"

SCALE: 1" = 10'-0"



4 PHASE 1 SOUTH BUILDING TERRACE LEVEL 3

SCALE: 1" = 10'-0"

AREA 1



PERIMETER SCREENING PLANTING -
HARDY/TOLERANT TO HARSHER, URBAN
CONDITIONS - LOW WATER USAGE



Podocarpus gracilior



Diets vegeta



Juncus 'Elk Blue'



Rhaphidopsis 'Pink Lady'

AREA 2



COURTYARD GARDENS & OLD COUNTY RD. FRONTAGE
- HARDY, TOLERANT ORNAMENTAL TREES -
LOW-MEDIUM WATER USE



Lagerstroemia 'Tuskegee'



Liriodendron 'Majestic'



Loropetalum 'Rubrum'



Nephrolepis cordifolia



Melaleuca nesophila



Callandria spectabilis



Jacaranda mimosaefolia



Olea europaea

AREA 3



STREET & DRIVEWAY PLANTING - HARDY/TOLERANT
TO HARSHER, URBAN CONDITIONS - LOW WATER
USAGE



Festuca glauca



Rosmarinus 'Prostratus'



Chondropetalum tectorum



Callistemon 'Little John'



Lomandra multiflora



Tilia cordata 'June Bride'



Festuca Californica 'Serpentine Blue'



Erigeron glaucus 'Bountiful'

AREA 4



TERRACE PLANTING - URBAN, HEAT TOLERANCE -
LOW WATER USAGE



Agave parryi var. truncate



Sedum 'John Creech'



Tibouchina urbiniana



Coprosma kirkii 'Variegata'

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-05-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

LANDSCAPE ARCHITECT:
THE
Guzzardo
Partnership, INC.
Landscape Architects | Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT
The
SOBRATO
Organization
808 BRIDLEWOOD COMMUNITY
SAN CARLOS, CA 94070


ARCHITECT
STUDIOS
architecture
303 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.381.7075

SCHEMATIC PLANTING
PLAN
UPPER LEVELS AND
IMAGERY
L4.02


PROJECT NO. 20510.00


COPYRIGHT © 2021 by STUDIOS architecture


1/26/2021 8:02:21 PM
BIN 850/2501000 - 850 Old County Road/Sobrato, 850 Old County Road, San Carlos, CA 94070
25010.00
SOBRATO



WATER USE LEGEND

 Wucols Low: - 14,234 sf

 Wucols Moderate: - 1,146 sf

 Wucols High: - 0 sf

Based upon Total Landscape Area of - 15,380 sf

5 HYDROZONE PLAN
SCALE: 1" = 20'-0"

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-05-12				
 PLANNING RESUBMISSION 1	2021-12-02				
 PLANNING RESUBMISSION 2	2022-04-29				
 PLANNING RESUBMISSION 3	2023-01-11				
 PLANNING RESUBMISSION 4	2023-05-26				

LANDSCAPE ARCHITECT:

 **THE Guzzardo Partnership, INC.**
Landscape Architects/Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.gp-inc.com

CLIENT

The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS architecture
303 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.384.7075



NORTH SOUTH


Hydrozone Plan

L5.01

PROJECT NO. 20510.00

COPYRIGHT © 2021 by STUDIOS architecture

1/26/2021 10:27 PM
BIN:907291030 - 800 OLD COUNTY ROAD/BRANSTEN RD, SAN CARLOS, CA 94070
20510.00
S03870



TREE DISPOSITION - LEGEND	
Tree Disposition Plan is to be used in conjunction with Arborist Report by Kler & Wright dated 05.18.2021.	
Key	Description
● XX	Existing Tree to Remain, Tree # per Arborist Report
X	Existing Tree to be Removed per Project Design
---	Property Line

TREE DISPOSITION - SUMMARY Stevens Creek Promenade	
Description	Quantity
Total Existing Trees On-Site	2
Total Existing Street Trees	4
Total Existing Trees to Remain	0
Total Trees Removed	6
Proposed Mitigation (New) Tree-24" box	83
Proposed Mitigation (New) Tree-36" box	15
Total Trees On-Site at completion	98

NOTES:
Current Preliminary Tree Disposition plan has been prepared based on preliminary site survey (tree census), site observations and Arborist Report by McCammon Consulting LLC dated May 18, 2021.
All new proposed trees (see sheet L-X Planting Plan) will be counted towards mitigation requirements.
TREE COMPLIANCE CALCULATION
A. 1 tree per 5,000.0 sf of building lot coverage.
Required trees: 30
B. 1 tree per 5 parking spaces.
Required trees: 10
Currently proposed new trees: 98 (24" box size min.)

- TREE PROTECTION/PRUNING NOTES**
- All trees designated to be preserved shall be verified by the Project Superintendent. This shall occur prior to the removal of any trees on-site.
 - Neighboring trees overhanging the site shall be protected from site construction impacts in the same manner as existing on-site trees to be preserved.
 - Tree drip zone areas shall be protected with a 5' high chain link fence enclosure mounted on 2 inch diameter galvanized iron posts driven into the ground to a depth of at least 2 feet at no more than 10 foot spacings. The fence shall enclose the entire area under the drip line. Spray paint the top of the fence with bright orange paint before unrolling the fabric to ensure visibility of the barrier. In no case shall any vehicles or equipment be permitted to be stored within this enclosed area. Fence shall be erected before construction begins and remain in place until time for relocation.
 - No materials or topsoil shall be stored within the tree enclosure areas.
 - No trenching within enclosures shall be permitted. Any tree roots encountered outside of the enclosure smaller than 2" shall be cut clean with the approved tree pruning tools and sealed with an approved liquid tree sealant. Tree roots 2" or larger shall not be cut. Root pipes into alternate enclosures to avoid conflict. Any damaged or torn roots are to be root pruned and sealed with orange traffic.
 - No grading or trenching shall be permitted within the fenced zone or under the drip line except as specifically noted on the plans.
 - No soil sterilants shall be applied under pavement near existing trees.
 - Fertilizer and water soil injections must be done during April-May of the year of construction as well as the year after. These shall consist of Miller NutriLeaf 20-20-20 or equal at 5.5 pounds per 100 gallons of water or equivalent, or as recommended by the Arborist. This shall be applied to a depth of at least 18" and at a 20 degree angle toward the tree trunk at a rate of 10 gallons per inch of tree caliper.
 - Above ground surface runoff shall not be directed into the tree canopy area from adjacent areas.
 - A supplemental irrigation program is recommended at regular intervals (every three to four weeks) during the period from May 1 through Oct. 31. Irrigation is to be applied at or above the 'drip line' in an amount sufficient to supply approximately fifteen gallons of water for each inch in trunk diameter.
 - Irrigation can be provided by means of a soil needle, 'soaker' or permeable hose. When using 'soaker' or permeable hose, water is to be run at low pressure, avoiding runoff/pudding, allowing the needed moisture to penetrate the soil to feeder root depths.
 - Periodic inspections by a qualified Arborist are recommended during construction activities, particularly as trees are impacted by trenching/grading operations. Any recommendations by the Arborist for maintaining the health of trees are to be implemented.
 - Tree Pruning Notes: All trees shall be pruned in compliance with the following industry standards:
A. All specifications for working on protected trees shall be written and administered by a qualified arborist.
B. All work on protected trees shall be in accordance with the industry Standard Practices for Tree Care Operations outlined in the ANSI A300-1995 and ANSI S33-1994.
C. All Specified tree work shall be designed to promote practices which encourage the preservation of tree structure and health, in accordance with the current Tree Pruning Guidelines (International Society of Arboriculture), An U.S.A. Certified Arborist or Tree Worker must be present at all times during pruning operations.

6 TREE DISPOSITION PLAN
SCALE: 1" = 20'-0"

ISSUED FOR:	DATE:				
PLANNING SUBMISSION	2021-05-12				
PLANNING RESUBMISSION 1	2021-12-02				
PLANNING RESUBMISSION 2	2022-04-29				
PLANNING RESUBMISSION 3	2023-01-11				
PLANNING RESUBMISSION 4	2023-05-26				

LANDSCAPE ARCHITECT:

THE Guzzardo Partnership, INC.
Landscape Architects/Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT

The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS architecture
303 CALIFORNIA STREET, FLOOR 31 - SAN FRANCISCO, CA 94104 - 415.383.7875

NORTH

SOUTH

Tree Disposition Plan

L6.01

PROJECT NO. 20510.00

COPYRIGHT © 2021 by STUDIOS architecture

1/26/2021 10:27:11 AM

BM 380/205/10.0 - 800 Old County Road/Barbieri to 800 Old County Road, JANUARY 2021, 2021

20510.00

SOBRATO



4 REAR AUTO COURT WITH SLIDING GATE CLOSED

SCALE: 1/8" = 1'-0"



5 AERIAL FROM OLD COUNTY ROAD

SCALE: 1/8" = 1'-0"



6 COURTYARD CANOPY AREA

SCALE: 1/8" = 1'-0"

ISSUED FOR:	DATE:			
PLANNING SUBMISSION	2021-05-12			
PLANNING RESUBMISSION 1	2021-12-02			
PLANNING RESUBMISSION 2	2022-04-29			
PLANNING RESUBMISSION 3	2023-01-11			
PLANNING RESUBMISSION 4	2023-05-26			



1 SLIDING GATE AT PUBLIC PLAZA

SCALE: 1/8" = 1'-0"



2 PUBLIC PLAZA WOOD DECK TERRACE

SCALE: 1/8" = 1'-0"



3 INTERFACE WITH OLD COUNTY ROAD SIDEWALK

SCALE: 1/8" = 1'-0"

LANDSCAPE ARCHITECT:

THE Guzzardo Partnership, INC.
Landscape Architects | Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT

The SOBRATO Organization
803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS architecture
380 CALIFORNIA STREET, FLOOR 21 - SAN FRANCISCO, CA 94104 - 415.384.7675

NORTH

SOUTH


Courtyard Perspectives

L7.01

PROJECT NO. 20510.00

COPYRIGHT © 2021 by STUDIOS architecture

NTS



Notes: Unless otherwise specified - the long term human deprivation (LTD) for legacy sources used in these calculations is based on published mean runtimes by major brain manufacturers; 0.80 LTD for pulse start/medicinal devices; 0.80 LTD for high pressure monitors; 0.85 LTD for legacy TIS and TIS hardware; 0.80 LTD for compact fluorescent and LED lighting; 0.85 LTD for Cessna and E175 baggage; 0.85 LTD for all legacy equipment. Unless otherwise noted - 0.80 luminaires dirt depreciation (LDD) is commonly applied. In cases where appropriate - ballast factor (BF) is applied. Additional user defined factors (UDF) may be applied if necessary to represent luminaires performance to a higher degree of accuracy. Total light loss factor (LLF) is the product of all realworld loss factors.

LIGHTING PLAN - PHOTOMETRIC ANALYSIS - LAYOUT VERIFICATION

(ALL VALUES SHOWN ARE MAINTAINED HORIZONTAL FOOTCANDLES AT FINISHED GRADE, U.O.N.)

PRELIMINARY - NOT FOR CONSTRUCTION
NOT FOR QUOTING PURPOSES

[illegible]

Unit	Category	Unit	Group	Age	Sex	Site	Depth	Speed
Unit 1	Category 1	Unit 1	Group 1	Age 1	Sex 1	Site 1	Depth 1	Speed 1
Unit 2	Category 2	Unit 2	Group 2	Age 2	Sex 2	Site 2	Depth 2	Speed 2
Unit 3	Category 3	Unit 3	Group 3	Age 3	Sex 3	Site 3	Depth 3	Speed 3
Unit 4	Category 4	Unit 4	Group 4	Age 4	Sex 4	Site 4	Depth 4	Speed 4
Unit 5	Category 5	Unit 5	Group 5	Age 5	Sex 5	Site 5	Depth 5	Speed 5
Unit 6	Category 6	Unit 6	Group 6	Age 6	Sex 6	Site 6	Depth 6	Speed 6
Unit 7	Category 7	Unit 7	Group 7	Age 7	Sex 7	Site 7	Depth 7	Speed 7
Unit 8	Category 8	Unit 8	Group 8	Age 8	Sex 8	Site 8	Depth 8	Speed 8
Unit 9	Category 9	Unit 9	Group 9	Age 9	Sex 9	Site 9	Depth 9	Speed 9
Unit 10	Category 10	Unit 10	Group 10	Age 10	Sex 10	Site 10	Depth 10	Speed 10

[illegible]

Collaborative have been just as successful in meeting its 2010 sustainability goals as past positions. Based on this information, management believes it is likely that the results of the 2011 Sustainability Report will be similar to the results of the 2010 Sustainability Report. Management believes that the results of the 2011 Sustainability Report will be similar to the results of the 2010 Sustainability Report. Management believes that the results of the 2011 Sustainability Report will be similar to the results of the 2010 Sustainability Report.



THE GUZZARDO PARTNERSHIP, INC.
Attn: Representative
TRIMALE, LC
ASSOCIATED LIGHTING REPRESENTATIVES, INC.
Attn: Guzzardo Partnership, Inc.

0093-861 OLD COUNTY ROAD - SITE
SAN CARLOS, CA
CADDWORKS INC. 7/20/15 10:01 AM

DATE	DESCRIPTION	AMOUNT
2015 MAR -01		

ISSUED FOR:		DATE:	
	PLANNING SUBMISSION	2021-05-12	
	PLANNING RESUBMISSION 1	2021-12-02	
	PLANNING RESUBMISSION 2	2022-04-29	
	PLANNING RESUBMISSION 3	2023-01-11	
	PLANNING RESUBMISSION 4	2023-05-26	

LANDSCAPE ARCHITECT:

 **THE
Guzzardo
Partnership, INC.**
Landscape Architects | Land Planners
Pier 9, The Embarcadero, Suite 115
San Francisco, CA 94111 | www.tgp-inc.com

CLIENT


The
SOBRATO
Organization

803 - 851 OLD COUNTY ROAD
SAN CARLOS, CA 94070

ARCHITECT

STUDIOS
architecture

350 CALIFORNIA STREET, FLOOR 21 • SAN FRANCISCO, CA 94104 • 415.398.7570



Photometric Plan

L8.01

COPYRIGHT © 2021 by STUDIOS architecture

PROJECT NO	205100
------------	--------